

Source references for AMF richness estimated by ITS sequences (14)

- Appoloni S., Lekberg Y., Tercek M.T., Zabinski C.A. & Redecker D. (2008). Molecular Community Analysis of Arbuscular Mycorrhizal Fungi in Roots of Geothermal Soils in Yellowstone National Park (USA). *Microb Ecol*, 56, 649-659.
- Ceccarelli N., Curadi M., Martelloni L., Sbrana C., Picciarelli P. & Giovannetti M. (2010). Mycorrhizal colonization impacts on phenolic content and antioxidant properties of artichoke leaves and flower heads two years after field transplant. *Plant Soil*, 335, 311-323.
- Cloete K., Valentine A., Blomerus L., Botha A. & Perez-Fernandez M. (2007). Nutritional effects of indigenous arbuscular mycorrhizal associations on the sclerophyllous species *Agathosma betulina*. *Web Ecology*, 77, 77-86.
- Galvan G.A., Paradi I., Burger K., Baar J., Kuyper T.W., Scholten O.E. & Kik C. (2009). Molecular diversity of arbuscular mycorrhizal fungi in onion roots from organic and conventional farming systems in the Netherlands. *Mycorrhiza*, 19, 317-328.
- Haug I., Lempe J., Homeier J., Weiss M., Setaro S., Oberwinkler F. & Kottke I. (2004). *Graffenrieda emarginata* (Melastomataceae) forms mycorrhizas with Glomeromycota and with a member of the *Hymenoscyphus ericae* aggregate in the organic soil of a neotropical mountain rain forest. *Can J Bot*, 82, 340-356.
- Hijri I., Sykorova Z., Oehl F., Ineichen K., Mader P., Wiemken A. & Redecker D. (2006). Communities of arbuscular mycorrhizal fungi in arable soils are not necessarily low in diversity. *Mol Ecol*, 15, 2277-2289.
- Renker C., Weisshuhn K., Kellner H. & Buscot F. (2006). Rationalizing molecular analysis of field-collected roots for assessing diversity of arbuscular mycorrhizal fungi: to pool, or not to pool, that is the question. *Mycorrhiza*, 16, 525-531.
- Scotti M.R., Gomes E. & Souza F. (unpublished). Direct submission.
- Shepherd M., Nguyen L., Jones M.E., Nichols J.D. & Carpenter F.L. (2007). A method for assessing arbuscular mycorrhizal fungi group distribution in tree roots by intergenic transcribed sequence variation. *Plant Soil*, 290, 259-268.
- Sykorova Z., Ineichen K., Wiemken A. & Redecker D. (2007a). The cultivation bias: different communities of arbuscular mycorrhizal fungi detected in roots from the field, from bait plants transplanted to the field, and from a greenhouse trap experiment. *Mycorrhiza*, 18, 1-14.
- Sykorova Z., Wiemken A. & Redecker D. (2007b). Cooccurring *Gentiana verna* and *Gentiana acaulis* and their neighboring plants in two swiss upper montane meadows harbor distinct arbuscular mycorrhizal fungal communities. *Appl Environ Microb*, 73, 5426-5434.
- Tchabi A., Burger S., Coyne D., Hountondji F., Lawouin L., Wiemken A. & Oehl F. (2009). Promiscuous arbuscular mycorrhizal symbiosis of yam (*Dioscorea* spp.), a key staple crop in West Africa. *Mycorrhiza*, 19, 375-392.
- Wilde P., Manal A., Stodden M., Sieverding E., Hildebrandt U. & Bothe H. (2009). Biodiversity of arbuscular mycorrhizal fungi in roots and soils of two salt marshes. *Environ Microbiol*, 11, 1548-1561.
- Zarei M., Konig S., Nekouei M.K., Savaghebi G., Buscot F. & Hempel S. (2008). Community structure of arbuscular mycorrhizal fungi associated to *Veronica rechingeri* at the Anguran zinc and lead

mining region. *Environ Pollut*, 156, 1277-1283.

Source references for AMF richness estimated by LSU sequences (18)

- An G.H., Miyakawa S., Kawahara A., Osaki M. & Ezawa T. (2008). Community structure of arbuscular mycorrhizal fungi associated with pioneer grass species *Miscanthus sinensis* in acid sulfate soils: Habitat segregation along pH gradients. *Soil Sci Plant Nutr*, 54, 517-528.
- Bharadwaj D.P., Lundquist P.O. & Alstrom S. (2007). Impact of plant species grown as monocultures on sporulation and root colonization by native arbuscular mycorrhizal fungi in potato. *Appl Soil Ecol*, 35, 213-225.
- Cranenbrouck S., Dalpe Y., Corbisier A.M. & Declerck S. (unpublished). Systematics of monoxenically-produced closely-related *Glomus* strains using integrated morphological and molecular tools.
- Dunfield K.E., Miras-Avalos J.M., Antunes P.M., Koch A., Khosla K. & Klironomos J.N. (2011). The influence of tillage on the structure of rhizosphere and root-associated arbuscular mycorrhizal fungal communities. *Pedobiologia*, 54, 235-241.
- Gollotte A., van Tuinen D. & Atkinson D. (2004). Diversity of arbuscular mycorrhizal fungi colonising roots of the grass species *Agrostis capillaris* and *Lolium perenne* in a field experiment. *Mycorrhiza*, 14, 111-117.
- Hol W.H.G. & de Souza F.A. (unpublished). Geographical distribution of AMF associated with *A. arenaria* L. (Link) in European coastal sand dunes.
- Iguchi A., Ota S., Yamato M., Nara K., Sakamoto M. & Hardjono A. (unpublished). Influence of stand age and soil properties on arbuscular mycorrhizal fungi colonizing *Acacia mangium*.
- Kjoller R. & Rosendahl S. (2001). Molecular diversity of glomalean (arbuscular mycorrhizal) fungi determined as distinct *Glomus* specific DNA sequences from roots of field grown peas. *Mycol Res*, 105, 1027-1032.
- Li L.F., Li T., Zhang Y. & Zhao Z.W. (2010). Molecular diversity of arbuscular mycorrhizal fungi and their distribution patterns related to host-plants and habitats in a hot and arid ecosystem, southwest China. *Fems Microbiol Ecol*, 71, 418-427.
- Maekawa T., Wu B., Isobe K. & Ishii R. (unpublished). Community structure of arbuscular mycorrhizal fungi in the infected roots of super-nodulating soybean.
- Nielsen K.B., Kjoller R., Olsson P.A., Schweiger P.F., Andersen F.O. & Rosendahl S. (2004). Colonisation and molecular diversity of arbuscular mycorrhizal fungi in the aquatic plants *Littorella uniflora* and *Lobelia dortmanna* in southern Sweden. *Mycol Res*, 108, 616-625.
- Perez J.C., van Tuinen D., Schellenberg M.P., Hanson K., Germida J. & Hamel C. (unpublished). Diversity of mycorrhizal fungi in prairie grasses.
- Pivato B., Mazurier S., Lemanceau P., Siblot S., Berta G., Mougel C. & van Tuinen D. (2007). *Medicago* species affect the community composition of arbuscular mycorrhizal fungi associated with roots. *New Phytol*, 176, 197-210.
- Rosendahl S. & Stukenbrock E.H. (2004). Community structure of arbuscular mycorrhizal fungi in undisturbed vegetation revealed by analyses of LSU rDNA sequences. *Mol Ecol*, 13, 3179-3186.

- Schnoor T.K., Lekberg Y., Rosendahl S. & Olsson P.A. (2011). Mechanical soil disturbance as a determinant of arbuscular mycorrhizal fungal communities in semi-natural grassland. *Mycorrhiza*, 21, 211-220.
- van de Voorde T.F.J., van der Putten W.H., Gamper H.A., Hol W.H.G. & Bezemer T.M. (2010). Comparing arbuscular mycorrhizal communities of individual plants in a grassland biodiversity experiment. *New Phytol*, 186, 746-754.
- Wu B.Y., Hogetsu T., Isobe K. & Ishii R. (2007). Community structure of arbuscular mycorrhizal fungi in a primary successional volcanic desert on the southeast slope of Mount Fuji. *Mycorrhiza*, 17, 495-506.