

## International papers about AM fungi morphological diversity (59)

- Abbas Y., Ducousso M., Abourouh M., Azcon R. & Duponnois R. (2006). Diversity of arbuscular mycorrhizal fungi in *Tetraclinis articulata* (Vahl) Masters woodlands in Morocco. *Annals of Forest Science*, 63, 285-291.
- Al-Yahya'ei M.N., Oehl F., Vallino M., Lumini E., Redecker D., Wiemken A. & Bonfante P. (2011). Unique arbuscular mycorrhizal fungal communities uncovered in date palm plantations and surrounding desert habitats of Southern Arabia. *Mycorrhiza*, 21, 195-209.
- An Z.Q., Hendrix J.W., Hershman D.E., Ferriss R.S. & Henson G.T. (1993). The influence of crop-rotation and soil fumigation on a mycorrhizal fungal community associated with soybean. *Mycorrhiza*, 3, 171-182.
- Beena K.R., Raviraja N.S., Arun A.B. & Sridhar K.R. (2000). Diversity of arbuscular mycorrhizal fungi on the coastal sand dunes of the west coast of India. *Current Science*, 79, 1459-1466.
- Breuninger M., Einig W., Magel E., Cardoso E. & Hampp R. (2000). Mycorrhiza of Brazil pine (*Araucaria angustifolia* Bert. O. Ktze. ). *Plant Biology*, 2, 4-10.
- Burrows R.L. & Pflieger F.L. (2002). Host responses to AMF from plots differing in plant diversity. *Plant and Soil*, 240, 169-179.
- Caproni A.L., Franco A.A., Berbara R.L.L., Trufem S.B., Granha J. & Monteiro A.B. (2003). Arbuscular mycorrhizal fungi occurrence in revegetated areas after bauxite mining at Porto Trombetas, Para State, Brazil. *Pesquisa Agropecuaria Brasileira*, 38, 1409-1418.
- Carrenho R., Silva E.S., Trufem S.F.B. & Bononi V.L.R. (2001). Successive cultivation of maize and agricultural practices on root colonization, number of spores and species of arbuscular mycorrhizal fungi. *Brazilian Journal of Microbiology*, 32, 262-270.
- Cheng X.M. & Baumgartner K. (2004). Survey of arbuscular mycorrhizal fungal communities in Northern California vineyards and mycorrhizal colonization potential of grapevine nursery stock. *Hortscience*, 39, 1702-1706.
- Coughlan A.P., Dalpe Y., Lapointe L. & Piche Y. (2000). Soil pH-induced changes in root colonization, diversity, and reproduction of symbiotic arbuscular mycorrhizal fungi from healthy and declining maple forests. *Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere*, 30, 1543-1554.
- Cousins J.R., Hope D., Gries C. & Stutz J.C. (2003). Preliminary assessment of arbuscular mycorrhizal fungal diversity and community structure in an urban ecosystem. *Mycorrhiza*, 13, 319-326.
- Cuenca G. & Meneses E. (1996). Diversity patterns of arbuscular mycorrhizal fungi associated with cacao in Venezuela. *Plant and Soil*, 183, 315-322.
- Egerton-Warburton L.M. & Allen E.B. (2000). Shifts in arbuscular mycorrhizal communities along an anthropogenic nitrogen deposition gradient. *Ecological Applications*, 10, 484-496.
- Egerton-Warburton L.M., Graham R.C., Allen E.B. & Allen M.F. (2001). Reconstruction of the historical changes in mycorrhizal fungal communities under anthropogenic nitrogen deposition. *Proceedings of the Royal Society of London Series B-Biological Sciences*, 268, 2479-2484.
- Egerton-Warburton L.M., Johnson N.C. & Allen E.B. (2007). Mycorrhizal community dynamics following nitrogen fertilization: A cross-site test in five grasslands. *Ecological Monographs*, 77,

527-544.

- Eom A.H., Hartnett D.C. & Wilson G.W.T. (2000). Host plant species effects on arbuscular mycorrhizal fungal communities in tallgrass prairie. *Oecologia*, 122, 435-444.
- Eom A.H., Hartnett D.C., Wilson G.W.T. & Figge D.A.H. (1999). The effect of fire, mowing and fertilizer amendment on arbuscular mycorrhizas in tallgrass prairie. *American Midland Naturalist*, 142, 55-70.
- Eom A.H., Wilson G.W.T. & Hartnett D.C. (2001). Effects of ungulate grazers on arbuscular mycorrhizal symbiosis and fungal community structure in tallgrass prairie. *Mycologia*, 93, 233-242.
- Frank D.A., Gehring C.A., Machut L. & Phillips M. (2003). Soil community composition and the regulation of grazed temperate grassland. *Oecologia*, 137, 603-609.
- Gai J., Christie P., Cai X., Fan J., Zhang J., Feng G. & Li X. (2009). Occurrence and distribution of arbuscular mycorrhizal fungal species in three types of grassland community of the Tibetan Plateau. *Ecological research*, 24, 1345-1350.
- Gai J.P., Feng G., Cai X.B., Christie P. & Li X.L. (2006). A preliminary survey of the arbuscular mycorrhizal status of grassland plants in southern Tibet. *Mycorrhiza*, 16, 191-196.
- Gaur S. & Kaushik P. (2011). Biodiversity of Vesicular Arbuscular Mycorrhiza Associated with *Catharanthus roseus*, *Ocimum* spp. and *Asparagus racemosus* in Uttarakhand State of Indian Central Himalaya. *International Journal of Botany*, 7, 31-41.
- Guadarrama P. & Alvarez-Sanchez F.J. (1999). Abundance of arbuscular mycorrhizal fungi spores in different environments in a tropical rain forest, Veracruz, Mexico. *Mycorrhiza*, 8, 267-270.
- Jansa J., Mozafar A., Anken T., Ruh R., Sanders I.R. & Frossard E. (2002). Diversity and structure of AMF communities as affected by tillage in a temperate soil. *Mycorrhiza*, 12, 225-234.
- Jin L., Gu Y.J., Xiao M., Chen J.K. & Li B. (2004). The history of *Solidago canadensis* invasion and the development of its mycorrhizal associations in newly-reclaimed land. *Functional Plant Biology*, 31, 979-986.
- Johnson N.C. & Wedin D.A. (1997). Soil carbon, nutrients, and mycorrhizae during conversion of dry tropical forest to grassland. *Ecological Applications*, 7, 171-182.
- Johnson N.C., Zak D.R., Tilman D. & Pflieger F.L. (1991). Dynamics of vesicular-arbuscular mycorrhizae during old field succession. *Oecologia*, 86, 349-358.
- Levolock C.E., Andersen K. & Morton J.B. (2003). Arbuscular mycorrhizal communities in tropical forests are affected by host tree species and environment. *Oecologia (Berlin)*, 135, 268-279.
- Li L., Li T. & Zhao Z. (2007). Differences of arbuscular mycorrhizal fungal diversity and community between a cultivated land, an old field, and a never-cultivated field in a hot and arid ecosystem of southwest China. *Mycorrhiza*, 17, 655-665.
- Lovelock C.E. & Ewel J.J. (2005). Links between tree species, symbiotic fungal diversity and ecosystem functioning in simplified tropical ecosystems. *New Phytologist*, 167, 219-228.
- Mangan S.A., Eom A.H., Adler G.H., Yavitt J.B. & Herre E.A. (2004). Diversity of arbuscular mycorrhizal fungi across a fragmented forest in Panama: insular spore communities differ from mainland communities. *Oecologia*, 141, 687-700.
- Menendez A.B., Scervino J.M. & Godeas A.M. (2001). Arbuscular mycorrhizal populations associated

- with natural and cultivated vegetation on a site of Buenos Aires province, Argentina. *Biology and Fertility of Soils*, 33, 373-381.
- Moreira-Souza M., Trufem S.F.B., Gomes-da-Costa S.M. & Cardoso E. (2003). Arbuscular mycorrhizal fungi associated with *Araucaria angustifolia* (Bert.) O. Ktze. *Mycorrhiza*, 13, 211-215.
- Moreira M., Nogueira M.A., Tsai S.M., Gomes-da-Costa S.M. & Cardoso E.J.B.N. (2007). Sporulation and diversity of arbuscular mycorrhizal fungi in Brazil Pine in the field and in the greenhouse. *Mycorrhiza*, 17, 519-526.
- Oehl F., Laczko E., Bogenrieder A., Stahr K., Bösch R., Van der Heijden M. & Sieverding E. (2010). Soil type and land use intensity determine the composition of arbuscular mycorrhizal fungal communities. *Soil Biology and Biochemistry*, 42, 724-738.
- Oehl F., Sieverding E., Ineichen K., Mader P., Boller T. & Wiemken A. (2003). Impact of land use intensity on the species diversity of arbuscular mycorrhizal fungi in agroecosystems of Central Europe. *Applied and Environmental Microbiology*, 69, 2816-2824.
- Oehl F., Sieverding E., Ineichen K., Mader P., Wiemken A. & Boller T. (2009). Distinct sporulation dynamics of arbuscular mycorrhizal fungal communities from different agroecosystems in long-term microcosms. *Agriculture, Ecosystems & Environment*, 134, 257-268.
- Oehl F., Sieverding E., Ineichen K., Ris E.A., Boller T. & Wiemken A. (2005). Community structure of arbuscular mycorrhizal fungi at different soil depths in extensively and intensively managed agroecosystems. *New Phytologist*, 165, 273-283.
- Oehl F., Sieverding E., Mader P., Dubois D., Ineichen K., Boller T. & Wiemken A. (2004). Impact of long-term conventional and organic farming on the diversity of arbuscular mycorrhizal fungi. *Oecologia*, 138, 574-583.
- Oliveira R.S., Vosatka M., Dodd J.C. & Castro P.M.L. (2005). Studies on the diversity of arbuscular mycorrhizal fungi and the efficacy of two native isolates in a highly alkaline anthropogenic sediment. *Mycorrhiza*, 16, 23-31.
- Picone C. (2000). Diversity and abundance of arbuscular-mycorrhizal fungus spores in tropical forest and pasture. *Biotropica*, 32, 734-750.
- Schalamuk S., Velazquez S., Chidichimo H. & Cabello M. (2006). Fungal spore diversity of arbuscular mycorrhizal fungi associated with spring wheat: effects of tillage. *Mycologia*, 98, 16-22.
- Schreiner R.P. & Mihara K.L. (2009). The diversity of arbuscular mycorrhizal fungi amplified from grapevine roots (*Vitis vinifera* L.) in Oregon vineyards is seasonally stable and influenced by soil and vine age. *Mycologia*, 101, 599-611.
- SHAH M.A., RESHI Z.A. & RASOOL N. (2010). Plant invasions induce a shift in Glomalean spore diversity. *Tropical Ecology*, 51, 317-323.
- Sharma D., Kapoor R. & Bhatnagar A. (2009). Differential growth response of *Curculigo orchioides* to native arbuscular mycorrhizal fungal (AMF) communities varying in number and fungal components. *European Journal of Soil Biology*, 45, 328-333.
- Shi Z.Y., Chen Y.L., Feng G., Liu R.J., Christie P. & Li X.L. (2006). Arbuscular mycorrhizal fungi associated with the Meliaceae on Hainan island, China. *Mycorrhiza*, 16, 81-87.
- Sjoberg J., Persson P., Martensson A., Mattsson L., Adholeya A. & Alstrom S. (2004). Occurrence of

- Glomeromycota spores and some arbuscular mycorrhiza fungal species in arable fields in Sweden. *Acta Agriculturae Scandinavica Section B-Soil and Plant Science*, 54, 202-212.
- Stürmer S.L. & Siqueira J.O. (2011). Species richness and spore abundance of arbuscular mycorrhizal fungi across distinct land uses in Western Brazilian Amazon. *Mycorrhiza*, 1-13.
- Su Y.-Y. & Guo L.-D. (2007). Arbuscular mycorrhizal fungi in non-grazed, restored and over-grazed grassland in the Inner Mongolia steppe. *Mycorrhiza*, 17, 689-693.
- Tchabi A., Coyne D., Hountondji F., Lawouin L., Wiemken A. & Oehl F. (2008). Arbuscular mycorrhizal fungal communities in sub-Saharan Savannas of Benin, West Africa, as affected by agricultural land use intensity and ecological zone. *Mycorrhiza*, 18, 181-195.
- Tian H., Gai J., Zhang J., Christie P. & Li X. (2009). Arbuscular mycorrhizal fungi associated with wild forage plants in typical steppe of eastern Inner Mongolia. *European Journal of Soil Biology*, 45, 321-327.
- Uhlmann E., Goerke C., Petersen A. & Oberwinkler F. (2004). Comparison of species diversity of arbuscular mycorrhizal fungi in winter-rainfall areas of South Africa and summer-rainfall areas of Namibia. *Mycological Progress*, 3, 267-274.
- Urcelay C., Díaz S., Gurvich D.E., Chapin III F.S., Cuevas E. & Domínguez L.S. (2009). Mycorrhizal community resilience in response to experimental plant functional type removals in a woody ecosystem. *Journal of Ecology*, 97, 1291-1301.
- Vestberg M., Cardoso M. & Martensson A. (1999). Occurrence of arbuscular mycorrhizal fungi in different cropping systems at Cochabamba, Bolivia. *Agricultural and Food Science in Finland*, 8, 309-318.
- Vestberg M., Kahiluoto H. & Wallius E. (2011). Arbuscular mycorrhizal fungal diversity and species dominance in a temperate soil with long-term conventional and low-input cropping systems. *Mycorrhiza*, 21, 351-361.
- Wang F.Y., Hu J.L., Lin X.G., Qin S.W. & Wang J.H. (2011). Arbuscular mycorrhizal fungal community structure and diversity in response to long-term fertilization: a field case from China. *World Journal of Microbiology and Biotechnology*, 27, 67-74.
- Wang Y.Y., Vestberg M., Walker C., Hurme T., Zhang X. & Lindström K. (2008). Diversity and infectivity of arbuscular mycorrhizal fungi in agricultural soils of the Sichuan Province of mainland China. *Mycorrhiza*, 18, 59-68.
- Zhang Y., Guo L.D. & Liu R.J. (2004). Survey of arbuscular mycorrhizal fungi in deforested and natural forest land in the subtropical region of Dujiangyan, southwest China. *Plant and Soil*, 261, 257-263.

## **International papers about AM fungi molecular diversity based on SSU gene (62)**

- Alguacil M.D., Diaz-Pereira E., Caravaca F., Fernandez D.A. & Roldan A. (2009a). Increased Diversity of Arbuscular Mycorrhizal Fungi in a Long-Term Field Experiment via Application of Organic Amendments to a Semiarid Degraded Soil. *Appl Environ Microb*, 75, 4254-4263.
- Alguacil M.D., Lozano Z., Campoy M.J. & Roldan A. (2010). Phosphorus fertilisation management modifies the biodiversity of AM fungi in a tropical savanna forage system. *Soil Biol Biochem*, 42, 1114-1122.
- Alguacil M.M., Roldan A. & Torres M.P. (2009b). Assessing the diversity of AM fungi in arid gypsophilous plant communities. *Environ Microbiol*, 11, 2649-2659.
- Alguacil M.M., Roldan A. & Torres M.P. (2009c). Complexity of Semiarid Gypsophilous Shrub Communities Mediates the AMF Biodiversity at the Plant Species Level. *Microb Ecol*, 57, 718-727.
- Baumgartner K., Fujiyoshi P., Smith R. & Bettiga L. (2010). Weed flora and dormant-season cover crops have no effects on arbuscular mycorrhizae of grapevine. *Weed Res*, 50, 456-466.
- Beck A., Haug I., Oberwinkler F. & Kottke I. (2007). Structural characterization and molecular identification of arbuscular mycorrhiza morphotypes of *Alzatea verticillata* (Alzateaceae), a prominent tree in the tropical mountain rain forest of South Ecuador. *Mycorrhiza*, 17, 607-625.
- Burke D.J. (2008). Effects of *Alliaria petiolata* (garlic mustard; Brassicaceae) on mycorrhizal colonization and community structure in three herbaceous plants in a mixed deciduous forest. *American Journal of Botany*, 95, 1416.
- Cai B.Y., Ge J.P., Jie W.G. & Yan X.F. (2009). The community composition of the arbuscular mycorrhizal fungi in the rhizosphere of *Phellodendron amurense*. *Mycosystema*, 28, 512-520.
- Daniell T.J., Husband R., Fitter A.H. & Young J.P.W. (2001). Molecular diversity of arbuscular mycorrhizal fungi colonising arable crops. *Fems Microbiol Ecol*, 36, 203-209.
- DeBellis T. & Widden P. (2006). Diversity of the small subunit ribosomal RNA gene of the arbuscular mycorrhizal fungi colonizing *Clintonia borealis* from a mixed-wood boreal forest. *Fems Microbiol Ecol*, 58, 225-235.
- Douhan G.W., Petersen C., Bledsoe C.S. & Rizzo D.M. (2005). Contrasting root associated fungi of three common oak-woodland plant species based on molecular identification: host specificity or non-specific amplification? *Mycorrhiza*, 15, 365-372.
- Downie A., Le Brocque A.F. & Dearnaley J. (2008). The mycorrhizal fungal associations of the vulnerable *Sophora fraseri* (Fabaceae). *Australasian Mycologist*, 27, 57-65.
- Fitzsimons M.S. & Miller R.M. (2010). Serpentine soil has little influence on the root-associated microbial community composition of the serpentine tolerant grass species *Avenula sulcata*. *Plant Soil*, 330, 393-405.
- Franke T., Beenken L., D ring M., Kocyan A. & Agerer R. (2006). Arbuscular mycorrhizal fungi of the *Glomus*-group A lineage (Glomerales; Glomeromycota) detected in myco-heterotrophic plants from tropical Africa. *Mycological Progress*, 5, 24-31.
- Helgason T., Daniell T.J., Husband R., Fitter A.H. & Young J.P.W. (1998). Ploughing up the wood-wide web? *Nature*, 394, 431-431.

- Helgason T., Fitter A.H. & Young J.P.W. (1999). Molecular diversity of arbuscular mycorrhizal fungi colonising *Hyacinthoides non-scripta* (bluebell) in a seminatural woodland. *Mol Ecol*, 8, 659-666.
- Helgason T., Merryweather J.W., Denison J., Wilson P., Young J.P.W. & Fitter A.H. (2002). Selectivity and functional diversity in arbuscular mycorrhizas of co-occurring fungi and plants from a temperate deciduous woodland. *J Ecol*, 90, 371-384.
- Helgason T., Merryweather J.W., Young J.P.W. & Fitter A.H. (2007). Specificity and resilience in the arbuscular mycorrhizal fungi of a natural woodland community. *J Ecol*, 95, 623-630.
- Husband R., Herre E.A., Turner S.L., Gallery R. & Young J.P.W. (2002a). Molecular diversity of arbuscular mycorrhizal fungi and patterns of host association over time and space in a tropical forest. *Mol Ecol*, 11, 2669-2678.
- Husband R., Herre E.A. & Young J.P.W. (2002b). Temporal variation in the arbuscular mycorrhizal communities colonising seedlings in a tropical forest. *Fems Microbiol Ecol*, 42, 131-136.
- Ipsilantis I., Karpouzias D.G., Papadopoulou K.K. & Ehaliotis C. (2009). Effects of soil application of olive mill wastewaters on the structure and function of the community of arbuscular mycorrhizal fungi. *Soil Biol Biochem*, 41, 2466-2476.
- Jumpponen A., Trowbridge J., Mandyam K. & Johnson L. (2005). Nitrogen enrichment causes minimal changes in arbuscular mycorrhizal colonization but shifts community composition-evidence from rDNA data. *Biol Fert Soils*, 41, 217-224.
- Kottke I., Haug I., Setaro S., Suarez J.P., Weiss M., Preussing M., Nebel M. & Oberwinkler F. (2008). Guilds of mycorrhizal fungi and their relation to trees, ericads, orchids and liverworts in a neotropical mountain rain forest. *Basic Appl Ecol*, 9, 13-23.
- Kovacs G.M., Balazs T. & Penzes Z. (2007). Molecular study of arbuscular mycorrhizal fungi colonizing the sporophyte of the eusporangiate rattlesnake fern (*Botrychium virginianum*, Ophioglossaceae). *Mycorrhiza*, 17, 597-605.
- Kowalchuk G.A., De Souza F.A. & Van Veen J.A. (2002). Community analysis of arbuscular mycorrhizal fungi associated with *Ammophila arenaria* in Dutch coastal sand dunes. *Mol Ecol*, 11, 571-581.
- Liu Y., He J., Shi G., An L., pik M. & Feng H. (2011a). Diverse communities of arbuscular mycorrhizal fungi inhabit sites with very high altitude in Tibet Plateau. *Fems Microbiol Ecol*, (in press).
- Liu Y., He L., An L.Z., Helgason T. & Feng H.Y. (2009). Arbuscular mycorrhizal dynamics in a chronosequence of *Caragana korshinskii* plantations. *Fems Microbiol Ecol*, 67, 81-92.
- Liu Y., Mao L., He X., Cheng G., Ma X., An L. & Feng H. (2011b). Rapid change of AM fungal community in a rain-fed wheat field with short-term plastic film mulching practice. *Mycorrhiza*, 1-9.
- Oba H., Shinozaki N., Oyaizu H., Tawaraya K., Wagatsuma T., Barraquio W.L. & Saito M. (2004). Arbuscular mycorrhizal fungal communities associated with some pioneer plants in the Lahar area of Mt. Pinatubo, Philippines. *Soil Sci Plant Nutr*, 50, 1195-1203.
- Öpik M., Moora M., Liira J., K ljalg U., Zobel M. & Sen R. (2003). Divergent arbuscular mycorrhizal fungal communities colonize roots of *Pulsatilla* spp. in boreal Scots pine forest and grassland soils. *New Phytol*, 160, 581-593.

- Öpik M., Moora M., Zobel M., Saks U., Wheatley R., Wright F. & Daniell T. (2008). High diversity of arbuscular mycorrhizal fungi in a boreal herb-rich coniferous forest. *New Phytol*, 179, 867-876.
- Porras-Alfaro A., Herrera J., Natvig D.O. & Sinsabaugh R.L. (2007). Effect of long-term nitrogen fertilization on mycorrhizal fungi associated with a dominant grass in a semiarid grassland. *Plant Soil*, 296, 65-75.
- Rodriguez-Echeverria S. & Freitas H. (2006). Diversity of AMF associated with *Ammophila arenaria* ssp *arundinacea* in Portuguese sand dunes. *Mycorrhiza*, 16, 543-552.
- Rowe A.R. & Pringle A. (2005). Morphological and molecular evidence of arbuscular mycorrhizal fungal associations in Costa Rican epiphytic bromeliads. *Biotropica*, 37, 245-250.
- Russell A.J., Bidartondo M.I. & Butterfield B.G. (2002). The root nodules of the Podocarpaceae harbour arbuscular mycorrhizal fungi. *New Phytol*, 156, 283-295.
- Russell J. & Bulman S. (2005). The liverwort *Marchantia foliacea* forms a specialized symbiosis with arbuscular mycorrhizal fungi in the genus *Glomus*. *New Phytol*, 165, 567-579.
- Saito K., Suyama Y., Sato S. & Sugawara K. (2004). Defoliation effects on the community structure of arbuscular mycorrhizal fungi based on 18S rDNA sequences. *Mycorrhiza*, 14, 363-373.
- Santos-Gonzalez J.C., Finlay R.D. & Tehler A. (2007). Seasonal dynamics of arbuscular mycorrhizal fungal communities in roots in a seminatural grassland. *Appl Environ Microb*, 73, 5613-5623.
- Santos J.C., Finlay R.D. & Tehler A. (2006). Molecular analysis of arbuscular mycorrhizal fungi colonising a semi-natural grassland along a fertilisation gradient. *New Phytol*, 172, 159-168.
- Sasvari Z. & Posta K. (2010). Effect of different plant densities on the diversity of arbuscular mycorrhizal fungi community in a long-term maize monocrop system. *Span J Agric Res*, 8, S123-S130.
- Schechter S.P. & Bruns T.D. (2008). Serpentine and non-serpentine ecotypes of *Collinsia sparsiflora* associate with distinct arbuscular mycorrhizal fungal assemblages. *Mol Ecol*, 17, 3198-3210.
- Scheublin T.R., Ridgway K.P., Young J.P.W. & van der Heijden M.G.A. (2004). Nonlegumes, legumes, and root nodules harbor different arbuscular mycorrhizal fungal communities. *Appl Environ Microb*, 70, 6240-6246.
- Schreiner R.P. & Mihara K.L. (2009). The diversity of arbuscular mycorrhizal fungi amplified from grapevine roots (*Vitis vinifera* L.) in Oregon vineyards is seasonally stable and influenced by soil and vine age. *Mycologia*, 101, 599-611.
- Scotti M.R., Pagano M.C., Utida M.K., Comes E.A., Marriel I.E. & Cabello M.N. (2011). Plant-type dependent changes in arbuscular mycorrhizal communities as soil quality indicator in semi-arid Brazil. *Ecol Indic*, 11, 643-650.
- Sonjak S., Udovic M., Wraber T., Likar M. & Regvar M. (2009). Diversity of halophytes and identification of arbuscular mycorrhizal fungi colonising their roots in an abandoned and sustained part of Secovlje salterns. *Soil Biol Biochem*, 41, 1847-1856.
- Toljander J.F., Tehler A., Finlay R.D. & Santos-Gonzalez J.C. (2008). Community analysis of arbuscular mycorrhizal fungi and bacteria in the maize mycorrhizosphere in a long-term fertilization trial. *Fems Microbiol Ecol*, 65, 323-338.
- Vallino M., Massa N., Lumini E., Bianciotto V., Bonfante P. & Berta G. (2006). Assessment of

- arbuscular mycorrhizal fungal diversity in roots of *Solidago gigantea* growing in a polluted soil in Northern Italy. *Environ Microbiol*, 8, 971-983.
- Vandenkoornhuysen P., Husband R., Daniell T.J., Watson I.J., Duck J.M., Fitter A.H. & Young J.P.W. (2002). Arbuscular mycorrhizal community composition associated with two plant species in a grassland ecosystem. *Mol Ecol*, 11, 1555-1564.
- West B., Brandt J., Holstien K., Hill A. & Hill M. (2009). Fern-associated arbuscular mycorrhizal fungi are represented by multiple *Glomus* spp.: do environmental factors influence partner identity? *Mycorrhiza*, 19, 295-304.
- Whitfield L., Richards A.J. & Rimmer D.L. (2004). Relationships between soil heavy metal concentration and mycorrhizal colonisation in *Thymus polytrichus* in northern England. *Mycorrhiza*, 14, 55-62.
- Wilde P., Manal A., Stodden M., Sieverding E., Hildebrandt U. & Bothe H. (2009). Biodiversity of arbuscular mycorrhizal fungi in roots and soils of two salt marshes. *Environ Microbiol*, 11, 1548-1561.
- Winther J.L. & Friedman W.E. (2007). Arbuscular mycorrhizal symbionts in *Botrychium* (Ophioglossaceae). *American Journal of Botany*, 94, 1248-1255.
- Winther J.L. & Friedman W.E. (2008). Arbuscular mycorrhizal associations in Lycopodiaceae. *New Phytol*, 177, 790-801.
- Winther J.L. & Friedman W.E. (2009). Phylogenetic affinity of arbuscular mycorrhizal symbionts in *Psilotum nudum*. *J Plant Res*, 122, 485-496.
- Wirsel S.G.R. (2004). Homogenous stands of a wetland grass harbour diverse consortia of arbuscular mycorrhizal fungi. *Fems Microbiol Ecol*, 48, 129-138.
- Wu F.S., Dong M.X., Liu Y.J., Ma X.J., An L.Z., Young J.P.W. & Feng H.Y. (2011). Effects of long-term fertilization on AM fungal community structure and Glomalin-related soil protein in the Loess Plateau of China. *Plant Soil*, 342, 233-247.
- Wu Y.T., Yen C.H. & Wang Y.Z. (2008). Quantification of Mycorrhiza from Taiwan Using Real-time PCR. *Taiwan Lin Ye Ke Xue*, 23.
- Wubet T., Weiss M., Kottke I. & Oberwinkler F. (2006a). Two threatened coexisting indigenous conifer species in the dry Afromontane forests of Ethiopia are associated with distinct arbuscular mycorrhizal fungal communities. *Can J Bot*, 84, 1617-1627.
- Wubet T., Weiss M., Kottke I., Teketay D. & Oberwinkler F. (2006b). Phylogenetic analysis of nuclear small subunit rDNA sequences suggests that the endangered African Pencil Cedar, *Juniperus procera*, is associated with distinct members of Glomeraceae. *Mycol Res*, 110, 1059-1069.
- Yamato M., Ikeda S. & Iwase K. (2008). Community of arbuscular mycorrhizal fungi in a coastal vegetation on Okinawa island and effect of the isolated fungi on growth of sorghum under salt-treated conditions. *Mycorrhiza*, 18, 241-249.
- Yamato M., Ikeda S. & Iwase K. (2009). Community of arbuscular mycorrhizal fungi in drought-resistant plants, *Moringa* spp., in semiarid regions in Madagascar and Uganda. *Mycoscience*, 50, 100-105.
- Yamato M. & Iwase K. (2005). Community analysis of arbuscular mycorrhizal fungi in a

warm-temperate deciduous broad-leaved forest and introduction of the fungal community into the seedlings of indigenous woody plants. *Mycoscience*, 46, 334-342.

## **International papers about AM fungi molecular diversity based on ITS gene (16)**

- Appoloni S., Lekberg Y., Tercek M.T., Zabinski C.A. & Redecker D. (2008). Molecular Community Analysis of Arbuscular Mycorrhizal Fungi in Roots of Geothermal Soils in Yellowstone National Park (USA). *Microb Ecol*, 56, 649-659.
- Baar J., Paradi I., Lucassen E.C.H.E.T., Hudson-Edwards K.A., Redecker D., Roelofs J.G.M. & Smolders A.J.P. (2011). Molecular analysis of AMF diversity in aquatic macrophytes: A comparison of oligotrophic and ultra-oligotrophic lakes. *Aquat Bot*, 94, 53-61.
- Borstler B., Kahmen A., Buscot F. & Renker C. (2006). Species composition of arbuscular mycorrhizal fungi in two mountain meadows with differing management types and levels of plant biodiversity. *Biol Fert Soils*, 42, 286-298.
- Galvan G.A., Paradi I., Burger K., Baar J., Kuyper T.W., Scholten O.E. & Kik C. (2009). Molecular diversity of arbuscular mycorrhizal fungi in onion roots from organic and conventional farming systems in the Netherlands. *Mycorrhiza*, 19, 317-328.
- Hempel S., Renker C. & Buscot F. (2007). Differences in the species composition of arbuscular mycorrhizal fungi in spore, root and soil communities in a grassland ecosystem. *Environ Microbiol*, 9, 1930-1938.
- Hijri I., Sykorova Z., Oehl F., Ineichen K., Mader P., Wiemken A. & Redecker D. (2006). Communities of arbuscular mycorrhizal fungi in arable soils are not necessarily low in diversity. *Mol Ecol*, 15, 2277-2289.
- Renker C., Blanke V. & Buscot F. (2005). Diversity of arbuscular mycorrhizal fungi in grassland spontaneously developed on area polluted by a fertilizer plant. *Environ Pollut*, 135, 255-266.
- Renker C., Heinrichs J., Kaldorf M. & Buscot F. (2003). Combining nested PCR and restriction digest of the internal transcribed spacer region to characterize arbuscular mycorrhizal fungi on roots from the field. *Mycorrhiza*, 13, 191-198.
- Renker C., Weisshuhn K., Kellner H. & Buscot F. (2006). Rationalizing molecular analysis of field-collected roots for assessing diversity of arbuscular mycorrhizal fungi: to pool, or not to pool, that is the question. *Mycorrhiza*, 16, 525-531.
- Sykorova Z., Ineichen K., Wiemken A. & Redecker D. (2007a). The cultivation bias: different communities of arbuscular mycorrhizal fungi detected in roots from the field, from bait plants transplanted to the field, and from a greenhouse trap experiment. *Mycorrhiza*, 18, 1-14.
- Sykorova Z., Wiemken A. & Redecker D. (2007b). Cooccurring *Gentiana verna* and *Gentiana acaulis* and their neighboring plants in two swiss upper montane meadows harbor distinct arbuscular

- mycorrhizal fungal communities. *Appl Environ Microb*, 73, 5426-5434.
- Uhlmann E., Gorke C., Petersen A. & Oberwinkler F. (2004). Arbuscular mycorrhizae from semiarid regions of Namibia. *Can J Bot*, 82, 645-653.
- Wilde P., Manal A., Stodden M., Sieverding E., Hildebrandt U. & Bothe H. (2009). Biodiversity of arbuscular mycorrhizal fungi in roots and soils of two salt marshes. *Environ Microbiol*, 11, 1548-1561.
- Wubet T., Weiss M., Kottke I. & Oberwinkler F. (2003). Morphology and molecular diversity of arbuscular mycorrhizal fungi in wild and cultivated yew (*Taxus baccata*). *Can J Bot*, 81, 255-266.
- Wubet T., Weiss M., Kottke I., Teketay D. & Oberwinkler F. (2004). Molecular diversity of arbuscular mycorrhizal fungi in *Prunus africana*, an endangered medicinal tree species in dry Afromontane forests of Ethiopia. *New Phytol*, 161, 517-528.
- Zarei M., Konig S., Nekouei M.K., Savaghebi G., Buscot F. & Hempel S. (2008). Community structure of arbuscular mycorrhizal fungi associated to *Veronica rechingeri* at the Anguran zinc and lead mining region. *Environ Pollut*, 156, 1277-1283.

## **International papers about AM fungi molecular diversity based on LSU gene (12)**

- Ahulu E.M., Gollotte A., Gianinazzi-Pearson V. & Nonaka M. (2006). Cooccurring plants forming distinct arbuscular mycorrhizal morphologies harbor similar AM fungal species. *Mycorrhiza*, 17, 37-49.
- An G.H., Miyakawa S., Kawahara A., Osaki M. & Ezawa T. (2008). Community structure of arbuscular mycorrhizal fungi associated with pioneer grass species *Miscanthus sinensis* in acid sulfate soils: Habitat segregation along pH gradients. *Soil Sci Plant Nutr*, 54, 517-528.
- Dunfield K.E., Miras-Avalos J.M., Antunes P.M., Koch A., Khosla K. & Klironomos J.N. (2011). The influence of tillage on the structure of rhizosphere and root-associated arbuscular mycorrhizal fungal communities. *Pedobiologia*, 54, 235-241.
- Gollotte A., van Tuinen D. & Atkinson D. (2004). Diversity of arbuscular mycorrhizal fungi colonising roots of the grass species *Agrostis capillaris* and *Lolium perenne* in a field experiment. *Mycorrhiza*, 14, 111-117.
- Haug I., Lempe J., Homeier J., Weiss M., Setaro S., Oberwinkler F. & Kottke I. (2004). *Graffenrieda emarginata* (Melastomataceae) forms mycorrhizas with Glomeromycota and with a member of the *Hymenoscyphus ericae* aggregate in the organic soil of a neotropical mountain rain forest. *Can J Bot*, 82, 340-356.
- Li L.F., Li T., Zhang Y. & Zhao Z.W. (2010a). Molecular diversity of arbuscular mycorrhizal fungi and their distribution patterns related to host-plants and habitats in a hot and arid ecosystem, southwest China. *Fems Microbiol Ecol*, 71, 418-427.
- Li T., Li L.F., Sha T., Zhang H.B. & Zhao Z.W. (2010b). Molecular diversity of arbuscular mycorrhizal fungi associated with two dominant xerophytes in a valley-type savanna, southwest China. *Appl Soil Ecol*, 44, 61-66.

- Mummey D.L. & Rillig M.C. (2007). Evaluation of LSU rRNA-gene PCR primers for analysis of arbuscular mycorrhizal fungal communities via terminal restriction fragment length polymorphism analysis. *J Microbiol Meth*, 70, 200-204.
- Nielsen K.B., Kjoller R., Olsson P.A., Schweiger P.F., Andersen F.O. & Rosendahl S. (2004). Colonisation and molecular diversity of arbuscular mycorrhizal fungi in the aquatic plants *Littorella uniflora* and *Lobelia dortmanna* in southern Sweden. *Mycol Res*, 108, 616-625.
- Regvar M., Vogel K., Irgel N., Wraber T., Hildebrandt P., Wilde P. & Bothe H. (2003). Colonisation of pennycresses (*Thlaspi* sp.) of the Brassicaceae by arbuscular mycorrhizal fungi. *Journal of Plant Physiology* 160, 615-626.
- Rosendahl S. & Stukenbrock E.H. (2004). Community structure of arbuscular mycorrhizal fungi in undisturbed vegetation revealed by analyses of LSU rDNA sequences. *Mol Ecol*, 13, 3179-3186.
- Schnoor T.K., Lekberg Y., Rosendahl S. & Olsson P.A. (2011). Mechanical soil disturbance as a determinant of arbuscular mycorrhizal fungal communities in semi-natural grassland. *Mycorrhiza*, 21, 211-220.