

- Abdalla M.E. & Abdel-Fattah G.M. (2000). Influence of the endomycorrhizal fungus *Glomus mosseae* on the development of peanut pod rot disease in Egypt. *Mycorrhiza*, 10, 29-35.
- Akhtar M.S. & Siddiqui Z.A. (2007). Biocontrol of a chickpea root-rot disease complex with *Glomus intraradices*, *Pseudomonas putida* and *Paenibacillus polymyxa*. *Australasian Plant Pathology*, 36, 175-180.
- Akhtar M.S. & Siddiqui Z.A. (2008a). Biocontrol of a root-rot disease complex of chickpea by *Glomus intraradices*, *Rhizobium* sp and *Pseudomonas straita*. *Crop Protection*, 27, 410-417.
- Akhtar M.S. & Siddiqui Z.A. (2008b). *Glomus intraradices*, *Pseudomonas alcaligenes*, and *Bacillus pumilus*: effective agents for the control of root-rot disease complex of chickpea (*Cicer arietinum* L.). *Journal of General Plant Pathology*, 74, 53-60.
- Akkopru A. & Demir S. (2005). Biological control of *Fusarium* wilt in tomato caused by *Fusarium oxysporum* f. sp *lycopersici* by AMF *Glomus intraradices* and some rhizobacteria. *Journal of Phytopathology*, 153, 544-550.
- Alraddad A.M. (1995). Interaction of *Glomus mosseae* and *Paecilomyces lilacinus* on *Meloidogyne javanica* of tomato. *Mycorrhiza*, 5, 233-236.
- Anjos É.C.T., Cavalcante U.M.T., Gonçalves D.M.C., Pedrosa E.M.R., Santos V.F. & Maia L.C. (2010). Interactions between an arbuscular mycorrhizal fungus (*Scutellospora heterogama*) and the root-knot nematode (*Meloidogyne incognita*) on sweet passion fruit (*Passiflora alata*). *Brazilian Archives of Biology and Technology*, 53, 801-809.
- Atilano R.A., Menge J.A. & Vangundy S.D. (1981). Interaction between *Meloidogyne arenaria* and *Glomus fasciculatus* in grape. *Journal of Nematology*, 13, 52-57.
- Attia M., Hamed H.A. & Turky A.S. (2004). Influence of root colonization with *Bacillus subtilis*, *Trichoderma harzianum* and arbuscular mycorrhizae on promoting tomato seedling, yield and protection against *Fusarium* crown and root rot. *Bulletin of the National Research Centre (Cairo)*, 29, 347-360.
- Bagyaraj D., Manjunath A. & Reddy D.D.R. (1979). Interaction of vesicular arbuscular mycorrhiza with root knot nematodes in tomato. *Plant and Soil*, 51, 397-403.
- Basu M.J. & Santhaguru K. (2009). Impact of *Glomus fasciculatum* and fluorescent *Pseudomonas* on growth performance of *Vigna radiata* (L.) wilczek challenged with phytopathogens. *Journal of Plant Protection Research*, 49, 190-194.
- Behn O. (2008). Influence of *Pseudomonas fluorescens* and arbuscular mycorrhiza on the growth, yield, quality and resistance of wheat infected with *Gaeumannomyces graminis*. *Journal of Plant Diseases and Protection*, 115, 4-8.
- Bennett A.E. & Bever J.D. (2007). Mycorrhizal species differentially alter plant growth and response to herbivory. *Ecology*, 88, 210-218.
- Bennett A.E. & Bever J.D. (2009). Trade-offs between arbuscular mycorrhizal fungal competitive ability and host growth promotion in *Plantago lanceolata*. *Oecologia*, 160, 807-816.
- Berta G., Sampo S., Gamalero E., Massa N. & Lemanceau P. (2005). Suppression of *Rhizoctonia* root-rot of tomato by *Glomus mossae* BEG12 and *Pseudomonas fluorescens* A6RI is associated with their effect on the pathogen growth and on the root morphogenesis. *European Journal of Plant Pathology*, 111, 279-288.
- Boby V.U. & Bagyaraj D.J. (2003). Biological control of root-rot of *Coleus forskohlii* Briq. using microbial inoculants. *World Journal of Microbiology & Biotechnology*, 19, 175-180.
- Borowicz V.A. (1997). A fungal root symbiont modifies plant resistance to an insect herbivore.

- Oecologia*, 112, 534-542.
- Calvet C., Pera J. & Barea J.M. (1993). Growth-response of marigold (*Tagetes erecta* L) to inoculation with *Glomus mosseae*, *Trichoderma aureoviride* and *Pythium-ultimum* in a peat perlite mixture. *Plant and Soil*, 148, 1-6.
- Calvet C., Pinochet J., Camprubi A. & Fernandez C. (1995). Increased tolerance to the root-lesion nematode *Pratylenchus-vulnus* in mycorrhizal micropropagated ba-29 quince rootstock. *Mycorrhiza*, 5, 253-258.
- Camprubi A., Pinochet J., Calvet C. & Estaun V. (1993). Effects of the root-lesion nematode *Pratylenchus vulnus* and the vesicular-arbuscular mycorrhizal fungus *Glomus mosseae* on the growth of three plum rootstocks. *Plant and Soil*, 153, 223-229.
- Carling D., Roncadori R. & Hussey R. (1989). Interactions of vesicular-arbuscular mycorrhizal fungi, root-knot nematode, and phosphorus fertilization on soybean. *Plant Disease*, 73, 730-733.
- Carling D., Roncadori R. & Hussey R. (1995). Interactions of arbuscular mycorrhizae, *Meloidogyne arenaria*, and phosphorus fertilization on peanut. *Mycorrhiza*, 6, 9-13.
- Castellanos-Morales V., Keiser C., Cardenas-Navarro R., Grausgruber H., Glauning J., Garcia-Garrido J.M., Steinkellner S., Sampedro I., Hage-Ahmed K., Illana A., Ocampo J.A. & Vierheilig H. (2011). The bioprotective effect of AM root colonization against the soil-borne fungal pathogen *Gaeumannomyces graminis* var. *tritici* in barley depends on the barley variety. *Soil Biology & Biochemistry*, 43, 831-834.
- Castillo P., Nico A.I., Azcon-Aguilar C., Rincon C.D.R., Calvet C. & Jimenez-Diaz R.M. (2006). Protection of olive planting stocks against parasitism of root-knot nematodes by arbuscular mycorrhizal fungi. *Plant Pathology*, 55, 705-713.
- Chakraborty M.R., Ghosh I., Ojha S., Dutta S. & Chatterjee N.C. (2008). Synergic effects of VAM and polyphenoloxidases on increased productivity of brinjal and tomato in relation to resistance against Fusarial wilt. *Acta Phytopathologica et Entomologica Hungarica*, 43, 37-44.
- Chandanie W., Kubota M. & Hyakumachi M. (2009). Interactions between the arbuscular mycorrhizal fungus *Glomus mosseae* and plant growth-promoting fungi and their significance for enhancing plant growth and suppressing damping-off of cucumber (*Cucumis sativus* L.). *Applied Soil Ecology*, 41, 336-341.
- Chandanie W.A., Kubota M. & Hyakumachi M. (2006). Interactions between plant growth promoting fungi and arbuscular mycorrhizal fungus *Glomus mosseae* and induction of systemic resistance to anthracnose disease in cucumber. *Plant and Soil*, 286, 209-217.
- Cimen I., Pirinc V., Sagir A., Akpınar C. & Guzel S. (2009). Effects of solarization and vesicular arbuscular mycorrhizal fungus (VAM) on phytophthora blight (*Phytophthora capsici* Leonian) and yield in pepper. *African Journal of Biotechnology*, 8, 4884-4894.
- Cordier C., Gianinazzi S. & Gianinazzi-Pearson V. (1996). Colonisation patterns of root tissues by *Phytophthora nicotianae* var *parasitica* related to reduced disease in mycorrhizal tomato. *Plant and Soil*, 185, 223-232.
- Currie A.F., Murray P.J. & Gange A.C. (2011). Is a specialist root-feeding insect affected by arbuscular mycorrhizal fungi? *Applied Soil Ecology*, 47, 77-83.
- D'Amelio R., Berta G., Gamalero E., Massa N., Avidano L., Cantamessa S., D'Agostino G., Bosco D. & Marzachi C. (2011). Increased plant tolerance against chrysanthemum yellows phytoplasma ('*Candidatus Phytoplasma asteris*') following double inoculation with *Glomus mosseae* BEG12 and *Pseudomonas putida* S1Pf1Rif. *Plant Pathology*, 60, 1014-1022.

- Dar G.H., Zargar M.Y. & Beigh G.M. (1997). Biocontrol of Fusarium root rot in the common bean (*Phaseolus vulgaris* L.) by using symbiotic *Glomus mosseae* and *Rhizobium leguminosarum*. *Microbial Ecology*, 34, 74-80.
- Davis R. & Menge J. (1980). Influence of *Glomus fasciculatus* and soil phosphorus on *Phytophthora* root rot of citrus. *Phytopathology*, 70, 447-452.
- Davis R. & Menge J. (1981). *Phytophthora parasitica* inoculation and intensity of vesicular-arbuscular mycorrhizae in citrus. *New Phytologist*, 705-715.
- Davis R., Menge J. & Erwin D. (1979). Influence of *Glomus fasciculatus* and soil phosphorus on Verticillium wilt of cotton. *Phytopathology*, 69, 453-456.
- Declerck S., Risede J.M., Rufyikiri G. & Delvaux B. (2002). Effects of arbuscular mycorrhizal fungi on severity of root rot of bananas caused by *Cylindrocladium spathiphylli*. *Plant Pathology*, 51, 109-115.
- del Carmen Jaizme-Vega M., Rodriguez-Romero A.S. & Barroso Nunez L.A. (2006). Effect of the combined inoculation of arbuscular mycorrhizal fungi and plant growth-promoting rhizobacteria on papaya (*Carica papaya* L.) infected with the root-knot nematode *Meloidogyne incognita*. *Fruits*, 61, 151-162.
- Deliopoulos T., Minnis S.T., Jones P.W. & Haydock P.P.J. (2010). Enhancement of the efficacy of a carbamate nematicide against the potato cyst nematode, *Globodera pallida*, through mycorrhization in commercial potato fields. *Journal of Nematology*, 42, 22-32.
- Diedhiou P.M., Hallmann J., Oerke E.C. & Dehne H.W. (2003). Effects of arbuscular mycorrhizal fungi and a non-pathogenic *Fusarium oxysporum* on *Meloidogyne incognita* infestation of tomato. *Mycorrhiza*, 13, 199-204.
- Elsen A., Baimey H., Sweenen R. & De Waele D. (2003a). Relative mycorrhizal dependency and mycorrhiza-nematode interaction in banana cultivars (*Musa* spp.) differing in nematode susceptibility. *Plant and Soil*, 256, 303-313.
- Elsen A., Beeterens R., Swennen R. & De Waele D. (2003b). Effects of an arbuscular mycorrhizal fungus and two plant-parasitic nematodes on *Musa* genotypes differing in root morphology. *Biology and Fertility of Soils*, 38, 367-376.
- Elsen A., Gervacio D., Swennen R. & De Waele D. (2008). AMF-induced biocontrol against plant parasitic nematodes in *Musa* sp.: a systemic effect. *Mycorrhiza*, 18, 251-256.
- Filion M., St-Arnaud M. & Jabaji-Hare S.H. (2003). Quantification of *Fusarium solani* f. sp. *phaseoli* in mycorrhizal bean plants and surrounding mycorrhizosphere soil using real-time polymerase chain reaction and direct isolations on selective media. *Phytopathology*, 93, 229-235.
- Forge T., Muehlchen A., Hackenberg C., Neilsen G. & Vrain T. (2001). Effects of preplant inoculation of apple (*Malus domestica* Borkh.) with arbuscular mycorrhizal fungi on population growth of the root-lesion nematode, *Pratylenchus penetrans*. *Plant and Soil*, 236, 185-196.
- Fritz M., Jakobsen I., Lyngkjaer M.F., Thordal-Christensen H. & Pons-Kuehnemann J. (2006). Arbuscular mycorrhiza reduces susceptibility of tomato to *Alternaria solani*. *Mycorrhiza*, 16, 413-419.
- Gallou A., Lucero Mosquera H.P., Cranenbrouck S., Pablo Suarez J. & Declerck S. (2011). Mycorrhiza induced resistance in potato plantlets challenged by *Phytophthora infestans*. *Physiological and Molecular Plant Pathology*, 76, 20-26.
- Gange A., Brown V. & Sinclair G. (1994). Reduction of black vine weevil larval growth by vesicular-arbuscular mycorrhizal infection. *Entomologia Experimentalis et Applicata*, 70, 115-119.

- Gange A.C. (2001). Species-specific responses of a root- and shoot-feeding insect to arbuscular mycorrhizal colonization of its host plant. *New Phytologist*, 150, 611-618.
- Gange A.C., Bower E. & Brown V.K. (1999). Positive effects of an arbuscular mycorrhizal fungus on aphid life history traits. *Oecologia*, 120, 123-131.
- Gange A.C., Brown V.K. & Aplin D.M. (2003). Multitrophic links between arbuscular mycorrhizal fungi and insect parasitoids. *Ecology Letters*, 6, 1051-1055.
- Gange A.C., Brown V.K. & Aplin D.M. (2005). Ecological specificity of arbuscular mycorrhizae: evidence from foliar-and seed-feeding insects. *Ecology*, 86, 603-611.
- Garmendia I., Goicoechea N. & Aguirreolea J. (2004a). Antioxidant metabolism in asymptomatic leaves of *Verticillium*-infected pepper associated with an arbuscular mycorrhizal fungus. *Journal of Phytopathology*, 152, 593-599.
- Garmendia I., Goicoechea N. & Aguirreolea J. (2004b). Effectiveness of three *Glomus* species in protecting pepper (*Capsicum annuum* L.) against *verticillium* wilt. *Biological Control*, 31, 296-305.
- Germns H., Alten H. & Poehling H.M. (2001). Arbuscular mycorrhiza increased the activity of a biotrophic leaf pathogen-is a compensation possible? *Mycorrhiza*, 11, 237-243.
- Gong M.Q., Chen Y. & Wang F.Z. (2004). Resistance of the AM Fungus *Eucalyptus Seeanngs* against *Pseudomonas solanacearum* *Forest Research* 17, 441-446.
- Goverde M., Van der Heijden M., Wiemken A., Sanders I. & Erhardt A. (2000). Arbuscular mycorrhizal fungi influence life history traits of a lepidopteran herbivore. *Oecologia*, 125, 362-369.
- Grandison G.S. & Cooper K.M. (1986). Interaction of vesicular-arbuscular mycorrhizae and cultivars of alfalfa susceptible and resistant to *Meloidogyne* hapla. *Journal of nematology*, 18, 141.
- Hao Z.P., Christie P., Qin L., Wang C.X. & Li X.L. (2005). Control of fusarium wilt of cucumber seedlings by inoculation with an arbuscular mycorrhizal fungus. *Journal of Plant Nutrition*, 28, 1961-1974.
- Heald C.M., Bruton B.D. & Davis R.M. (1989). Influence of *Glomus* intraradices and soil-phosphorus on *Meloidogyne incognita* infecting *Cucumis melo*. *Journal of Nematology*, 21, 69-73.
- Hempel S., Stein C., Unsicker S.B., Renker C., Auge H., Weisser W.W. & Buscot F. (2009). Specific bottom-up effects of arbuscular mycorrhizal fungi across a plant-herbivore-parasitoid system. *Oecologia*, 160, 267-277.
- Hoffmann D., Vierheilig H., Riegler P. & Schausberger P. (2009). Arbuscular mycorrhizal symbiosis increases host plant acceptance and population growth rates of the two-spotted spider mite *Tetranychus urticae*. *Oecologia*, 158, 663-671.
- Hu J.-L., Lin X.-G., Wang J.-H., Shen W.-S., Wu S., Peng S.-P. & Mao T.-T. (2010). Arbuscular Mycorrhizal Fungal Inoculation Enhances Suppression of Cucumber Fusarium Wilt in Greenhouse Soils. *Pedosphere*, 20, 586-593.
- Hussey R. & Roncadori R. (1978). Interaction of *Pratylenchus brachyurus* and *Gigaspora margarita* on cotton. *Journal of nematology*, 10, 16.
- Hwang S.F., Chakravarty P. & Prevost D. (1993). Effects of rhizobia, metalaxyl, and VA mycorrhizal fungi on growth, nitrogen-fixation, and development of pythium root-rot of sainfoin. *Plant Disease*, 77, 1093-1098.
- Hwang S.F., Chang K.F. & Chakravarty P. (1992). Effects of vesicular-arbuscular mycorrhizal fungi on the development of *Verticillium* and *Fusarium* wilts of alfalfa. *Plant Disease*, 76, 239-243.
- Jaiti F., Meddich A. & El Hadrami I. (2007). Effectiveness of arbuscular mycorrhizal fungi in the protection of date palm (*Phoenix dactylifera* L.) against bayoud disease. *Physiological and*

- Molecular Plant Pathology*, 71, 166-173.
- Jaizme-Vega M., Tenoury P., Pinochet J. & Jaumot M. (1997). Interactions between the root-knot nematode *Meloidogyne incognita* and *Glomus mosseae* in banana. *Plant and Soil*, 196, 27-35.
- Jaizme-Vega M.C. & Pinochet J. (1997). Growth response of banana to three mycorrhizal fungi in *Pratylenchus goodeyi* infested soil. *Nematropica*, 27, 69-76.
- Jalaluddin M., Hajra N.B., Firoza K. & Shahina F. (2008). Effect of *Glomus callosum*, *Meloidogyne incognita* and soil moisture on growth and yield of sunflower. *Pakistan Journal of Botany*, 40, 391-396.
- Jiao H., Dai M., Li Y., Li M. & Liu R.J. (2010). Influences of inoculating time of PGPR and AM fungi on tomato root-knot nematode diseases. *Journal of Qingdao Agricultural University (Natural Science)*, 27, 177-181.
- Kasiamdari R.S., Smith S.E., Smith F.A. & Scott E.S. (2002). Influence of the mycorrhizal fungus, *Glomus coronatum*, and soil phosphorus on infection and disease caused by binucleate *Rhizoctonia* and *Rhizoctonia solani* on mung bean (*Vigna radiata*). *Plant and Soil*, 238, 235-244.
- Khaosaad T., Garcia-Garrido J.M., Steinkellner S. & Vierheilig H. (2007). Take-all disease is systemically reduced in roots of mycorrhizal barley plants. *Soil Biology & Biochemistry*, 39, 727-734.
- Khatun S. & Chatterjee N.C. (2011). *Glomus fasciculatum* in defense responses to fusarial wilt of *Coleus forskohlii*. *Acta Agriculturae Scandinavica Section B-Soil and Plant Science*, 61, 136-142.
- Kobra N., Jalil K. & Youbert G. (2011). Arbuscular mycorrhizal fungi and biological control of *Verticillium*-wilted cotton plants. *Archives of Phytopathology and Plant Protection*, 44, 933-942.
- Larsen J., Ravnskov S. & Jakobsen I. (2003). Combined effect of an arbuscular mycorrhizal fungus and a biocontrol bacterium against *Pythium ultimum* in soil. *Folia Geobotanica*, 38, 145-154.
- Larsen J. & Yohalem D. (2004). Interactions between mycorrhiza and powdery mildew of cucumber. *Mycological Progress*, 3, 123-128.
- Lax P., Becerra A.G., Soteras F., Cabello M. & Doucet M.E. (2011). Effect of the arbuscular mycorrhizal fungus *Glomus intraradices* on the false root-knot nematode *Nacobbus aberrans* in tomato plants. *Biology and Fertility of Soils*, 47, 591-597.
- Li H.Y., Liu R.J., Li Y.J., Shu H.R. & Li Y. (2003). Influence of arbuscular mycorrhizal fungi and *Heterodera glycines* on enzyme activity in soybean roots. *Mycosystema*, 22, 613-619.
- Li H.Y., Liu R.J. & Shu H.R. (2002a). Interaction between AM Fungi and Grape *Meloidogyne incognita*. *Acta Horticulturae Sinica*, 29, 510-514.
- Li H.Y., Liu R.J. & Shu H.R. (2002b). A preliminary report on interactions between arbuscular mycorrhizal fungi and soybean cyst nematode. *Acta Phytopathologica Sinica*, 32, 356-360.
- Li M., Meng X.X., Jiang J.Q. & Liu R.J. (2000). A preliminary study on relationship between arbuscular mycorrhiza fungi and *Fusarium* wilt of watermelon. *Acta Phytopathologica Sinica*, 30, 327-331.
- Lingua G., D'Agostino G., Massa N., Antosiano M. & Berta G. (2002). Mycorrhiza-induced differential response to a yellows disease in tomato. *Mycorrhiza*, 12, 191-198.
- Liu R.J. (1995). Effect of vesicular-arbuscular mycorrhizal fungi on *verticillium* wilt of cotton. *Mycorrhiza*, 5, 293-297.
- Liu R.J., Li H.F., Shen C.Y. & Chiu W.F. (1995). Detection of pathogenesis-related proteins in cotton plants. *Physiological and Molecular Plant Pathology*, 47, 357-363.
- MacGuidwin A., Bird G. & Safir G. (1985). Influence of *Glomus fasciculatum* on *Meloidogyne* hapla

- infecting *Allium cepa*. *Journal of nematology*, 17, 389.
- Martínez-Medina A., Roldán A. & Pascual J.A. (2011). Interaction between arbuscular mycorrhizal fungi and *Trichoderma harzianum* under conventional and low input fertilization field condition in melon crops: Growth response and Fusarium wilt biocontrol. *Applied Soil Ecology*, 47, 98-105.
- Martinez-Medina A., Pascual J.A., Lloret E. & Roldan A. (2009). Interactions between arbuscular mycorrhizal fungi and *Trichoderma harzianum* and their effects on Fusarium wilt in melon plants grown in seedling nurseries. *Journal of the Science of Food and Agriculture*, 89, 1843-1850.
- Neeraj & Singh K. (2010). *Cyamopsis tetragonoloba* L Taub inoculated with arbuscular mycorrhiza and *Pseudomonas fluorescens* and treated with mustard oil cake overcome *Macrophomina* root-rot losses. *Biology and Fertility of Soils*, 46, 237-245.
- Neeraj & Singh K. (2011). Organic amendments to soil inoculated arbuscular mycorrhizal fungi and *Pseudomonas fluorescens* treatments reduce the development of root-rot disease and enhance the yield of *Phaseolus vulgaris* L. *European Journal of Soil Biology*, 47, 288-295.
- Newsham K., Fitter A. & Watkinson A. (1995). Arbuscular mycorrhiza protect an annual grass from root pathogenic fungi in the field. *Journal of Ecology*, 991-1000.
- Nogales A., Aguirreolea J., Maria E.S., Camprubi A. & Calvet C. (2009). Response of mycorrhizal grapevine to *Armillaria mellea* inoculation: disease development and polyamines. *Plant and Soil*, 317, 177-187.
- Nogales A., Camprubi A., Estaun V., Marfa V. & Calvet C. (2010). In vitro interaction studies between *Glomus intraradices* and *Armillaria mellea* in vines. *Spanish Journal of Agricultural Research*, 8, S62-S68.
- Norman J.R., Atkinson D. & Hooker J.E. (1996). Arbuscular mycorrhizal fungal-induced alteration to root architecture in strawberry and induced resistance to the root pathogen *Phytophthora fragariae*. *Plant and Soil*, 185, 191-198.
- O'Bannon J., Inserra R., Nemeč S. & Vovlas N. (1979). The influence of *Glomus mosseae* on *Tylenchulus semipenetrans*-infected and uninfected Citrus limon seedlings. *Journal of nematology*, 11, 247.
- O'Bannon J. & Nemeč S. (1979). The response of Citrus limon seedlings to a symbiont, *Glomus etunicatus*, and a pathogen, *Radopholus similis*. *Journal of nematology*, 11, 270.
- Ozgonen H., Akgul D.S. & Erkilic A. (2010). The effects of arbuscular mycorrhizal fungi on yield and stem rot caused by *Sclerotium rolfsii* Sacc. in peanut. *African Journal of Agricultural Research*, 5, 128-132.
- Ozgonen H. & Erkilic A. (2007). Growth enhancement and *Phytophthora* blight (*Phytophthora capsici* Leonian) control by arbuscular mycorrhizal fungal inoculation in pepper. *Crop Protection*, 26, 1682-1688.
- Pandey R. (2005). Management of *Meloidogyne incognita* in *Artemisia pallens* with bio-organics. *Phytoparasitica*, 33, 304-308.
- Pandey R., Gupta M.L., Singh H.B. & Kumar S. (1999). The influence of vesicular-arbuscular mycorrhizal fungi alone or in combination with *Meloidogyne incognita* on *Hyoscyamus niger* L. *Bioresource Technology*, 69, 275-278.
- Pandey R., Kalra A. & Gupta M.L. (2009). Evaluation of bio-agents and pesticide on root-knot nematode development and oil yield of patchouli. *Archives of Phytopathology and Plant Protection*, 42, 419-423.
- Petit E. & Gubler W.D. (2006). Influence of *Glomus intraradices* on black foot disease caused by

- Cylindrocarpon macrodidymum on Vitis rupestris under controlled conditions. *Plant Disease*, 90, 1481-1484.
- Pinochet J., Calvet C., Camprubi A. & Fernandez C. (1995a). Growth and nutritional response of nemared peach rootstock infected with *Pratylenchus vulnus* and the mycorrhizal fungus *Glomus mosseae*. *Fundamental and Applied Nematology*, 18, 205-210.
- Pinochet J., Calvet C., Camprubi A. & Fernandez C. (1995b). Interaction between the root-lesion nematode *Pratylenchus vulnus* and the mycorrhizal association of *Glomus intraradices* and Santa Lucia 64 cherry rootstock. *Plant and Soil*, 170, 323-329.
- Pinochet J., Camprubi A. & Calvet C. (1993). Effects of the root-lesion nematode *Pratylenchus vulnus* and the mycorrhizal fungus *Glomus mosseae* on the growth of emla-26 apple rootstock. *Mycorrhiza*, 4, 79-83.
- Pinochet J., Camprubi A., Calvet C., Fernandez C. & Kabana R.R. (1998). Inducing tolerance to the root-lesion nematode *Pratylenchus vulnus* by early mycorrhizal inoculation of micropropagated myrobalan 29 C plum rootstock. *Journal of the American Society for Horticultural Science*, 1223, 342-347.
- Pinochet J., Fernández C., de Carmen Jaizme M. & Tenoury P. (1997). Micropropagated banana infected with *Meloidogyne javanica* responds to *Glomus intraradices* and phosphorus. *HortScience*, 32, 101-103.
- Rabie G.H. (1998). Induction of fungal disease resistance in *Vicia faba* by dual inoculation with *Rhizobium leguminosarum* and vesicular-arbuscular mycorrhizal fungi. *Mycopathologia*, 141, 159-166.
- Ren L., Lou Y., Sakamoto K., Inubushi K., Amemiya Y., Shen Q. & Xu G. (2010). Effects of Arbuscular Mycorrhizal Colonization on Microbial Community in Rhizosphere Soil and Fusarium Wilt Disease in Tomato. *Communications in Soil Science and Plant Analysis*, 41, 1399-1410.
- Roncadori R. & Hussey R. (1977). Interaction of the endomycorrhizal fungus *Gigaspora margarita* and root-knot nematode on cotton. *Phytopathology*, 67, 1507-1511.
- Sankaranarayanan C. & Sundarababu R. (2010). Influence of application methods of arbuscular mycorrhiza *Glomus mosseae* in the bio-management of root knot nematode, *Meloidogyne incognita* on black gram (*Vigna mungo* L.) Hepper. *Journal of Biological Control*, 24, 51-57.
- Siddiqui Z.A. & Akhtar M.S. (2007a). Biocontrol of a chickpea root-rot disease complex with phosphate-solubilizing microorganisms. *Journal of Plant Pathology*, 89, 67-77.
- Siddiqui Z.A. & Akhtar M.S. (2007b). Effects of AM fungi and organic fertilizers on the reproduction of the nematode *Meloidogyne incognita* and on the growth and water loss of tomato. *Biology and Fertility of Soils*, 43, 603-609.
- Siddiqui Z.A. & Akhtar M.S. (2008). Effects of fertilizers, AM fungus and plant growth promoting rhizobacterium on the growth of tomato and on the reproduction of root-knot nematode *Meloidogyne incognita*. *Journal of Plant Interactions*, 3, 263-271.
- Siddiqui Z.A. & Akhtar M.S. (2009). Effects of antagonistic fungi, plant growth-promoting rhizobacteria, and arbuscular mycorrhizal fungi alone and in combination on the reproduction of *Meloidogyne incognita* and growth of tomato. *Journal of General Plant Pathology*, 75, 144-153.
- Siddiqui Z.A. & Mahmood I. (1995a). Biological-control of *Heterodera cajani* and *Fusarium udum* by *Bacillus subtilis*, *Bradyrhizobium japonicum* and *Glomus fasciculatum* on pigeonpea. *Fundamental and Applied Nematology*, 18, 559-566.
- Siddiqui Z.A. & Mahmood I. (1995b). Some observations on the management of the wilt disease

- complex of pigeonpea by treatment with a vesicular arbuscular fungus and biocontrol agents for nematodes. *Bioresource technology*, 54, 227-230.
- Siddiqui Z.A. & Mahmood I. (1998). Effect of a plant growth promoting bacterium, an AM fungus and soil types on the morphometrics and reproduction of *Meloidogyne javanica* on tomato. *Applied Soil Ecology*, 8, 77-84.
- Siddiqui Z.A. & Mahmood T. (2001). Effects of rhizobacteria and root symbionts on the reproduction of *Meloidogyne javanica* and growth of chickpea. *Bioresource Technology*, 79, 41-45.
- Sikes B.A., Cottenie K. & Klironomos J.N. (2009). Plant and fungal identity determines pathogen protection of plant roots by arbuscular mycorrhizas. *Journal of Ecology*, 97, 1274-1280.
- Singh R., Parameswaran T.N., Rao E.V.S.P., Puttanna K., Kalra A., Srinivas K.V.N.S., Bagyaraj D.J. & Divya S. (2009). Effect of arbuscular mycorrhizal fungi and *Pseudomonas fluorescens* on root-rot and wilt, growth and yield of *Coleus forskohlii*. *Biocontrol Science and Technology*, 19, 835-841.
- Smith G. & Kaplan D. (1988). Influence of mycorrhizal fungus, phosphorus, and burrowing nematode interactions on growth of rough lemon citrus seedlings. *Journal of nematology*, 20, 539.
- Smith G., Roncadori R. & Hussey R. (1986). Interaction of endomycorrhizal fungi, superphosphate, and *Meloidogyne incognita* on cotton in microplot and field studies. *Journal of nematology*, 18, 208.
- Song Y.Y., Cao M., Xie L.J., Liang X.T., Zeng R.S., Su Y.J., Huang J.H., Wang R.L. & Luo S.M. (2011). Induction of DIMBOA accumulation and systemic defense responses as a mechanism of enhanced resistance of mycorrhizal corn (*Zea mays* L.) to sheath blight. *Mycorrhiza*, 21, 721-731.
- Srivastava R., Khalid A., Singh U.S. & Sharma A.K. (2010). Evaluation of arbuscular mycorrhizal fungus, fluorescent *Pseudomonas* and *Trichoderma harzianum* formulation against *Fusarium oxysporum* f. sp. *lycopersici* for the management of tomato wilt. *Biological Control*, 53, 24-31.
- Stampe E.D. & Daehler C.C. (2003). Mycorrhizal species identity affects plant community structure and invasion: a microcosm study. *Oikos*, 100, 362-372.
- Steinkellner S., Hage-Ahmed K., García-Garrido J.M., Illana A., Ocampo J.A. & Vierheilig H. (2011). A comparison of wild-type, old and modern tomato cultivars in the interaction with the arbuscular mycorrhizal fungus *Glomus mosseae* and the tomato pathogen *Fusarium oxysporum* f. sp. *lycopersici*. *Mycorrhiza*, 1-6.
- Strobel N., Hussey R. & Roncadori R. (1982). Interactions of Vesicular-Arbuscular Mycorrhizal Fungi, *Meloidogyne incognita*, and Soil Fertility on Peach. *Phytopathology*, 72, 690-694.
- Subhashini D.V. & Padmaja K. (2010). Interaction between arbuscular mycorrhizal fungi and *Pythium aphanidermatum* in tobacco seedbeds. *Journal of Biological Control*, 24, 70-74.
- Sukhada M., Manjula R. & Rawal R.D. (2011). Evaluation of arbuscular mycorrhiza and other biocontrol agents against *Phytophthora parasitica* var. *nicotianae* infecting papaya (*Carica papaya* cv. Surya) and enumeration of pathogen population using immunotechniques. *Biological Control*, 58, 22-29.
- Sundaresan P., Raja N.U. & Gunasekaran P. (1993). Induction and accumulation of phytoalexins in cowpea roots infected with a mycorrhizal fungus *Glomus fasciculatum* and their resistance to *Fusarium* wilt disease. *Journal of biosciences*, 18, 291-301.
- Tabin T., Arunachalam A., Shrivastava K. & Arunachalam K. (2009). Effect of arbuscular mycorrhizal fungi on damping-off disease in *Aquilaria agallocha* Roxb. seedlings. *Tropical Ecology*, 50, 243-248.
- Talavera M., Itou K. & Mizukubo T. (2001). Reduction of nematode damage by root colonization with

- arbuscular mycorrhiza (*Glomus* spp.) in tomato-Meloidogyne incognita (Tylenchida : Meloidogynidae) and carrot-Pratylenchus penetrans (Tylenchida : Pratylenchidae) pathosystems. *Applied Entomology and Zoology*, 36, 387-392.
- Talavera M., Itou K. & Mizukubo T. (2002). Combined application of *Glomus* sp and *Pasteuria penetrans* for reducing *Meloidogyne incognita* (Tylenchida : Meloidogynidae) populations and improving tomato growth. *Applied Entomology and Zoology*, 37, 61-67.
- Tang M., Chen H. & Shang H.S. (2000). Mechanism of vesicular arbuscular mycorrhizal fungi enhanced resistance of poplar to canker. *Scientia Silvae Sinicae*, 36, 87-92.
- Teixeira dos Anjos E.C., Tiburcio Cavalcante U.M., Correia Goncalves D.M., Regis Pedrosa E.M., dos Santos V.F. & Maia L.C. (2010). Interactions between an Arbuscular Mycorrhizal Fungus (*Scutellospora heterogama*) and the Root-knot Nematode (*Meloidogyne incognita*) on Sweet Passion Fruit (*Passiflora alata*). *Brazilian Archives of Biology and Technology*, 53, 801-809.
- Thygesen K., Larsen J. & Bodker L. (2004). Arbuscular mycorrhizal fungi reduce development of pea root-rot caused by *Aphanomyces euteiches* using oospores as pathogen inoculum. *European Journal of Plant Pathology*, 110, 411-419.
- Toussaint J.P., Kraml M., Nell M., Smith S.E., Smith F.A., Steinkellner S., Schmiderer C., Vierheilig H. & Novak J. (2008). Effect of *Glomus mosseae* on concentrations of rosmarinic and caffeic acids and essential oil compounds in basil inoculated with *Fusarium oxysporum* f.sp. *basilici*. *Plant Pathology*, 57, 1109-1116.
- Utkhede R. (2006). Increased growth and yield of hydroponically grown greenhouse tomato plants inoculated with arbuscular mycorrhizal fungi and *Fusarium oxysporum* f. Sp. *radicis-lycopersici*. *Biocontrol*, 51, 393-400.
- Vaast P., Caswell-Chen E.P. & Zasoski R.J. (1998). Influences of a root-lesion nematode, *Pratylenchus coffeae*, and two arbuscular mycorrhizal fungi, *Acaulospora mellea* and *Glomus clarum* on coffee (*Coffea arabica* L.). *Biology and Fertility of Soils*, 26, 130-135.
- Vicari M., Hatcher P. & Ayres P. (2002). Combined effect of foliar and mycorrhizal endophytes on an insect herbivore. *Ecology*, 83, 2452-2464.
- Vigo C., Norman J.R. & Hooker J.E. (2000). Biocontrol of the pathogen *Phytophthora parasitica* by arbuscular mycorrhizal fungi is a consequence of effects on infection loci. *Plant Pathology*, 49, 509-514.
- Vos C., Geerinckx K., Mkandawire R., Panis B., De Waele D. & Elsen A. (2012). Arbuscular mycorrhizal fungi affect both penetration and further life stage development of root-knot nematodes in tomato. *Mycorrhiza*, 22, 157-163.
- Waceke J.W., Waudu S.W. & Sikora R. (2001). Suppression of *Meloidogyne hapla* by arbuscular mycorrhiza fungi (AMF) on pyrethrum in Kenya. *International Journal of Pest Management*, 47, 135-140.
- Waceke J.W., Waudu S.W. & Sikora R. (2002). Effect of inorganic phosphatic fertilizers on the efficacy of an arbuscular mycorrhiza fungus against a root-knot nematode on pyrethrum. *International Journal of Pest Management*, 48, 307-313.
- Wamberg C., Christensen S. & Jakobsen I. (2003). Interaction between foliar-feeding insects, mycorrhizal fungi, and rhizosphere protozoa on pea plants. *Pedobiologia*, 47, 281-287.
- Wang C.X., Qin L., Feng G. & Li X.L. (2005). Effects of arbuscular mycorrhizal fungi, *Glomus versiforme*, on secondary metabolites in cucumber roots infected with *F.oxysporum* f.sp.cucumerinum. *Acta Phytopylacica Sinica*, 32, 148-152.

- Watanarajanaporn N., Boonkerd N., Wongkaew S., Prommanop P. & Teaumroong N. (2011). Selection of arbuscular mycorrhizal fungi for citrus growth promotion and *Phytophthora* suppression. *Scientia Horticulturae*, 128, 423-433.
- Wooley S.C. & Paine T.D. (2007). Can intra-specific genetic variation in arbuscular mycorrhizal fungi (*Glomus etunicatum*) affect a mesophyll - feeding herbivore (*Tupiocoris notatus* Distant)? *Ecological Entomology*, 32, 428-434.
- Zambolim L. & Schenck N. (1983). Reduction of the effects of pathogenic, root-infecting fungi on soybean by the mycorrhizal fungus, *Glomus mosseae*. *Phytopathology*, 73, 1402-1405.
- Zeng W.A., Long S.P., Li H.G., Peng F.Y. & Huang Y.N. (2011). Effects of inoculating different arbuscular mycorrhizal fungus at seedling stage on wilt disease resistance in tobacco *Journal of Southern Agriculture*, 42, 612-615
- Zhang L., Zhang J., Christie P. & Li X. (2008). Pre-inoculation with arbuscular mycorrhizal fungi suppresses root knot nematode (*Meloidogyne incognita*) on cucumber (*Cucumis sativus*). *Biology and Fertility of Soils*, 45, 205-211.
- Zhang L., Zhang J., Christie P. & Li X. (2009). Effect of Inoculation with the Arbuscular Mycorrhizal Fungus *Glomus Intraradices* on the Root-Knot Nematode *Meloidogyne Incognita* in Cucumber. *Journal of Plant Nutrition*, 32, 967-979.
- Ziedan E.-S.H., Elewa I.S., Mostafa H.M. & Sahab A.F. (2011). Application of mycorrhizae for controlling root diseases of sesame. *Journal of Plant Protection Research*, 51, 355-361.