

Supplementary Table S1 : Seedling vigor %, fresh weight, dry weight, leaf area and RWC of *T. alexandrinum*.

Treatments		Seedling Vigor (%)	Fresh wt. (g)	Dry wt. (g)	Leaf area (cm ²)	RWC (%)
<i>T. alexandrinum</i>	ENR					
	Control	95	3.83±0.005	0.94±0.004	1.99±0.05	96.4 ± 2.5
	20	80	3.4±0.001	0.73±0.005	1.55±0.01	96.1 ± 2.6
	50	72	2.6±0.05	0.67±0.01	1.14±0.07	89.3 ± 2.9
	100	65	2.2±0.006	0.62±0.003	1.05±0.002	82.6 ± 2.2
	250	60	1.45±0.008	0.53±0.005	1.0±0.04	75.8 ± 2.4
	500	55	1.33±0.004	0.32±0.006	0.8±0.001	72.2 ± 2.6
	PCN					
	Control	95	3.83±0.005	0.94±0.004	1.99±0.05	96.4 ± 2.5
	20	80	3.69±0.03	0.75±0.002	1.73±0.005	93.5 ± 2.2
	50	82	3.27±0.01	0.63±0.01	1.71±0.07	87.5 ± 2.0
	100	55	2.76±0.009	0.57±0.003	1.69±0.003	82.8 ± 2.3
	250	50	2.2±0.002	0.23±0.001	1.57±0.004	81.7 ± 2.5
	500	48	1.05±0.05	0.11±0.001	0.46±0.001	78.9 ± 2.8
	SMZ					
	Control	95	3.83±0.005	0.94±0.004	1.99±0.05	96.4 ± 2.5
	20	67	2.60±0.01	0.75±0.06	1.70±0.009	87.3 ± 2.4
	50	59	1.1±0.03	0.63±0.07	1.52±0.003	80.6 ± 2.1
	100	52	1.0±0.09	0.41±0.03	0.85±0.008	74.2 ± 2.2
	250	49	0.9±0.003	0.1±0.001	0.30±0.006	67.5 ± 2.6
	500	36	0.5±0.005	0.035±0.007	0.09±0.004	60.4 ± 2.7
	Mix					
	Control	95	3.83±0.005	0.94±0.004	1.99±0.005	96.4 ± 2.5
	20	62	1.98±0.01	0.55±0.06	1.30±0.009	85.2 ± 2.2
	50	53	0.67±0.03	0.34±0.07	0.9±0.003	80.6 ± 2.1
	100	50	0.15±0.009	0.007±0.0003	0.64±0.008	74.2 ± 2.2
	250	46	0.8±0.003	0.003±0.001	0.3±0.006	67.5 ± 2.6
	500	52	0.1±0.003	0.0001±0.0005	0.05±0.01	67.1 ± 2.3

ENR- Enrofloxacin; PCN- Pencillin; SMZ-Sulphmethazine; MIX- mixture of three antibiotics