

Supplemental Table 1A. TNSn© Scoring

SCORE						
	Scoring Method	0	1	2	3	4
SENSORY SYMPTOMS Numbness Tingling Pain	The worse symptom score from the three symptoms informs the TNSn© total score	None	Limited to finger/toes	Extend to ankle or wrist	Extend to knee or elbow	Extend above knee or elbow or functionally disabling
MOTOR SYMPTOMS	Based on patient report	None	Slight difficulty	Moderate difficulty	Requires help, assistance	Paralysis
AUTONOMIC SYMPTOMS	Based on the number of symptoms experienced: Lightheadedness/dizziness with getting up from lying position Early satiety/bloating Diarrhea that awakens the patient at night Constipation Bladder Control Problems Erectile Dysfunction	0	1	2	3	4 or 5
PIN SENSIBILITY	Tested using a sharp pin and 10g monofilament. > 2/10 errors in detecting sharp/dull stimuli = reduced.	Normal	Reduced in finger/toes	Reduced up to wrist/ankle	Reduced up to elbow/knee	Reduced to above elbow/knee
VIBRATION SENSIBILITY	Tested using Rydel Seiffer graduated tuning fork. Reduced sensation criteria based on established age norms.	Normal	Reduced in finger/toes	Reduced up to wrist/ankle	Reduced up to elbow/knee	Reduced up to above elbow/knee
TOTAL SCORE		Sum of 5 item scores (range 0-20)				

Supplemental Table 1B. CIPN6 Scoring

CIPN6 (Six sensory items from EORTC QLQ-CIPN20)		
Item	Response Options	Score
Numbness in hands	Not at all	1
	A little	2
	Quite a bit	3
	Very much	4
Numbness in feet	Not at all	1
	A little	2
	Quite a bit	3
	Very much	4
Tingling in hands	Not at all	1
	A little	2
	Quite a bit	3
	Very much	4
Tingling in feet	Not at all	1
	A little	2
	Quite a bit	3
	Very much	4

Burning/shooting pain in hands	Not at all	1
	A little	2
	Quite a bit	3
	Very much	4
Burning/shooting pain in feet	Not at all	1
	A little	2
	Quite a bit	3
	Very much	4

