

**Supplementary Table S2** Table 1 List of primers for yeast interactions

Designation	Primer sequence (5'-3')	
	Forward primer	Reverse primer
BD	ATGGCCATGGAGGCCGAATT	TGCGGCCGCTGCAGGTGACG
AD	TGACGGACAAGCAGACCAAAGAG	TGCAGCTCGAGCTCGATGGATCCC
SnRK2.4-BD	ATGGCCATGGAGGCCGAATTCATGGA AAAGTACGAGGTTGTCAAGG	TGCGGCCGCTGCAGGTGACGTCA GCTGACGCTCACTTC
SnRK2.4-AD	ATGGCCATGGAGGCCAGTGAATTATGG AAAAGTACGAGGTTGTCAAGG	TGCAGCTCGAGCTCGATGGATCCCTC AGCTGACGCTCACTTC
CBL8-AD	ATGGCCATGGAGGCCAGTGAATTATGG CTGCACTGCTTTGCTTC	TGCAGCTCGAGCTCGATGGATCCCTA GTCTTGAACCTCGGTGTTGAGC
CB-like3—AD	ATGGCCATGGAGGCCAGTGAATTATGT TGCAGTGCATAGACGGG	TGCAGCTCGAGCTCGATGGATCCCT CAGGTGTCGTCAACTTGCG
CBL10-AD	ATGGCCATGGAGGCCAGTGAATTATGG ATTCTCGAGATCGAGTTCG	TGCAGCTCGAGCTCGATGGATCCCTC AGTCTTCAACCTCGGTGAA
SCS-AD (SnRK2-interacting calcium sensor)	ATGGCCATGGAGGCCAGTGAATTATGG AGAAAAAAAAGTGAGAGTG	TGCAGCTCGAGCTCGATGGATCCCTA TAACTCGGACTTGGCTGC
PP2C-AD	ATGGCCATGGAGGCCAGTGAATT ATGGATAGGTTATGCTTTAGTTCTT	TGCAGCTCGAGCTCGATGGATCCC TCATCCCTTAGTCTAACACAAC