

**Supplemental Table S4** Fungal genera identified through Sanger sequencing in sorghum ('CP21') seed tissue blocks cultured on potato dextrose agar medium, with optimal and non-optimal disinfection treatments.

Treatment	Fungi genera	Query cover	Per.Ident	Accession no.	References
Non-disinfection	<i>Fusarium fujikuroi</i>	95.00%	99.00%	CP023090.1	[1]
	<i>Bipolaris variabilis</i>	100.00%	100.00%	KY905677.1	[2]
Optimal disinfection	<i>Bipolaris zeicola</i>	99.00%	100.00%	MH864760.1	[3]
	<i>Alternaria alternata</i>	94.00%	99.40%	GQ121322.2	[4]
	<i>Epicoccum sorghinum</i>	100.00%	100.00%	MN215627.1	[5]
	<i>Bipolaris zeicola</i>	99.00%	100.00%	HF934940.1	[6]
	<i>Bipolaris zeicola</i>	100.00%	100.00%	KJ830830.1	[7]
	<i>Bipolaris zeicola</i>	99.00%	100.00%	HF934939.1	[6]
	<i>Fusarium fujikuroi</i>	100.00%	99.10%	CP023090.1	[1]

## References

- Wiemann P, Sieber CM, Von Bargen KW, Studt L, Niehaus EM, et al. 2013. Deciphering the cryptic genome: genome-wide analyses of the rice pathogen *Fusarium fujikuroi* reveal complex regulation of secondary metabolism and novel metabolites. *PLoS Pathogens* 9(6):e1003475
- Marin-Felix Y, Groenewald JZ, Cai L, Chen Q, Marincowitz S, et al. 2017. Genera of phytopathogenic fungi: GOPHY 1. *Studies In Mycology* 86:99-216
- Vu D, Groenewald M, de Vries M, Gehrmann T, Stielow B, et al. 2019. Large-scale generation and analysis of filamentous fungal DNA barcodes boosts coverage for kingdom fungi and reveals thresholds for fungal species and higher taxon delimitation. *Studies In Mycology* 92:135-54
- Shanmugam V, Dhyanidhi D, Ananthapadmanaban D. 2011. First report of *Alternaria* sp. causing blight on *Incarvillea emodi*. *Australasian Plant Disease Notes* 6:33-5
- Raza M, Zhang ZF, Hyde KD, Diao YZ, Cai L. 2019. Culturable plant pathogenic fungi associated with sugarcane in southern China. *Fungal Diversity* 99:1-104
- Amaradasa BS, Madrid H, Groenewald JZ, Crous PW, Amundsen K. 2014. *Porocercospora seminalis* gen. et comb. nov., the causal organism of buffalograss false smut. *Mycologia* 106(1):77-85
- Naumann TA, Wicklow DT, Price NPJ. 2014. Polyglycine hydrolases secreted by *Pleosporineae* fungi that target the linker region of plant class IV chitinases. *Biochemical Journal* 460(2): 187-98