Table S5. Summary of mutation types at the three *MiMe* target loci in *Fix10* lines.

	Line	*OsPAIR1*	*OsREC8*	*OsOSD1*	Predicted loss-of-function
T_0	#2	Biallelic (1D/1I)	Biallelic (1I/1I)	Biallelic (1I/1I)	Yes
	#3	Biallelic (1D/1I)	Biallelic (17D/2D)	Homozygous (2D)	Yes
	#6	Biallelic (1D/1I)	Biallelic (1I/2D)	Biallelic (1I/1D)	Yes
	#7	Biallelic (1I/1I)	Biallelic (1I/1I)	Biallelic (1D/1I)	Yes
	#8	Biallelic (1D/1I)	Biallelic (1I/1I)	Biallelic (1I/2D)	Yes
	#13	Biallelic (1I/1I)	Biallelic (1I/2I)	Biallelic (27D/2D)	Yes
	#14	Biallelic (1D/1I)	Biallelic (1I/2I)	Biallelic (1I/1I)	Yes
	#15	Biallelic (1I/1I)	Biallelic (1I/1I)	Homozygous (1I)	Yes
T_1	#2	Biallelic (1D/1I)	Biallelic (1I/1I)	Biallelic (1I/1I)	Yes
	#6	Biallelic (1D/1I)	Biallelic (1I/2D)	Biallelic (1I/1D)	Yes
	#7	Biallelic (1I/1I)	Biallelic (1I/1I)	Biallelic (1D/1I)	Yes