

Table S2 Primers used for the second-round screening of SSR markers

Primer name	Primer Sequence
IG_FAM_p2S7_F	TGTAAAACGACGGCCAGTCACACACACACACAAGCC
IG_FAM_p2S9_F	TGTAAAACGACGGCCAGTTCTTCCGGTGTTCCTGTCGG
IG_FAM_p2S13_F	TGTAAAACGACGGCCAGTGGTGCTGCCTACACAGTTCT
IG_FAM_p2S18_F	TGTAAAACGACGGCCAGTTGGTGCAGTCAGATCGCTTT
IG_FAM_p2S19_F	TGTAAAACGACGGCCAGTTTGTAGCTCTGCAGAAGCCC
IG_FAM_p2S20_F	TGTAAAACGACGGCCAGTTTGCTTTATGGGCCTCCTGG
IG_FAM_p2S45_F	TGTAAAACGACGGCCAGTCGAGCTTGTGTCTCTCTTGC
IG_FAM_p2S48_F	TGTAAAACGACGGCCAGTAGCCAGGCGGTTTCAACATA
IG_FAM_p2S52_F	TGTAAAACGACGGCCAGTAAATTGTGTGCCTCGCTTCG
IG_FAM_p2S55_F	TGTAAAACGACGGCCAGTTCCTCGAAACCCTAACCT
IG_FAM_p2S59_F	TGTAAAACGACGGCCAGTCGCGAACAAAGACCTCTCCT
IG_FAM_p2S60_F	TGTAAAACGACGGCCAGTTCTTGCTTTGTTTCGCACAA
IG_FAM_p3S7_F	TGTAAAACGACGGCCAGTCCAGAAGAAACCCGAGCTGT
IG_FAM_p3S8_F	TGTAAAACGACGGCCAGTTGCTCGAGGACTTTGGCAAT
IG_FAM_p3S12_F	TGTAAAACGACGGCCAGTTGACGTGGACAACCTGCATCA
IG_FAM_p3S16_F	TGTAAAACGACGGCCAGTCCCGACAGAGTGCACCTTCT
IG_FAM_p3S17_F	TGTAAAACGACGGCCAGTTCTGCTTCAAGGCTCCATGG
IG_FAM_p3S19_F	TGTAAAACGACGGCCAGTTTGTTCGCGATCTTGACCCA
IG_FAM_p3S28_F	TGTAAAACGACGGCCAGTAGGAGCCAACCCGAATGAAG
IG_FAM_p3S29_F	TGTAAAACGACGGCCAGTTGCTCTTCTGGACGGAACAC
IG_FAM_p3S30_F	TGTAAAACGACGGCCAGTTAGAACCACCCTCGTCACCT
IG_FAM_p3S4_F	TGTAAAACGACGGCCAGTCTCCATCGCCGTCAAGAAGT
IG_FAM_p3S41_F	TGTAAAACGACGGCCAGTTGCTGTTACGCCTTCACCTT
IG_FAM_p3S42_F	TGTAAAACGACGGCCAGTGTCTGCTGATTGCTCTGGGT
IG_FAM_p3S54_F	TGTAAAACGACGGCCAGTTGGGTTCTGTTGGATGTGG
IG_FAM_p3S55_F	TGTAAAACGACGGCCAGTACTCACTTGGGGATGCAGTG
IG_FAM_p3S56_F	TGTAAAACGACGGCCAGTCAAGGCACGAAACCTTCACG
IG_FAM_p3S58_F	TGTAAAACGACGGCCAGTTGACCCGATCAAAACCCTCG
IG_FAM_p3S60_F	TGTAAAACGACGGCCAGTTCCTGAAGCCGTACGTCCTA
Note: The reverse primers for the second-round SSR marker screening were identical to those listed in Supplementary Table S1.	