

Supplementary Table S3 Evaluation of astringency of cucumber fruit of 'FC' and 'HC'.

line	test 1	test 2	test 3	test 4	test 5	test 6	test 7	test 8	test 9	test 10	level 0	level 1	level 2	level 3	level 4	level 5	level 6	total	AI
P1-9d-1	0	0	1	2	3	2	1	1	1	2	2	4	3	1	0	0	0	10	21.67
P1-9d-2	1	1	2	0	3	1	2	2	2	0	2	3	4	1	0	0	0	10	23.33
P1-9d-3	1	1	2	1	3	2	1	1	3	0	1	5	2	2	0	0	0	10	25.00
P2-3d-1	3	1	1	1	3	2	2	2	3	1	0	4	3	3	0	0	0	10	31.67
P2-3d-2	2	2	1	2	1	3	2	1	3	3	0	3	4	3	0	0	0	10	33.33
P2-3d-3	3	3	3	2	1	1	2	3	2	2	0	2	4	4	0	0	0	10	36.67
P2-9d-1	4	4	4	3	6	5	6	5	5	6	0	0	0	1	3	3	3	10	80.00
P2-9d-2	6	6	4	4	4	5	4	5	6	5	0	0	0	0	4	3	3	10	81.67
P2-9d-3	4	4	4	6	5	5	6	6	5	4	0	0	0	0	4	3	3	10	81.67