

Table S1 Primer sequences used for PCR

Genes	Sense primer (5'→3')	Anti-sense primer (5'→3')
<i>CsWRKY26<sub>orf</sub></i>	ATGGCATCTTCTTCTGGGAG	TTAGTATTGCAATGACTCAAAG
qPCRCsWRKY26	CAAGCACCTTCACACTAGA	GTAAGAGCCCAATGAGTTCC
<i>CsWRKY26<sub>gateway</sub></i>	CACCATGGCATCTTCTCTG	GTATTGCAATGACTCAAAGAA
<i>proCsWRKY26</i>	AGGCAGGCAACCATTATCAA	TTCAAAGAAAAGAGAGATGGGGT
<i>proCsWRKY26::GUS</i>	ACGCGTCGACGGCAGGCACCACTTA	CGGGGTACCGGGTTCAGAGGTAAT
<i>GAPDH</i>	TTGGCATCGTTGAGGGTCT	CAGTGGGAACCGGAAAGC
<i>AtActin2</i>	TGTGCCAATCTACGAGGGTTT	TTTCCCGCTCTGCTGTTGT
<i>AtDREB2A</i>	TGACCTAAATGGCGACGATGT	TCCAAGTAACTCAAGTCGTCG
<i>AtRD29A</i>	GTTACTGATCCCACCAAAGAAGA	GGAGACTCATCAGTCACTTCCA
<i>AtP5CS1</i>	GCGCATAGTTTCTGATGCAA	TGCAACTTCGTGATCCTCTG
<i>AtRD22</i>	CCAAACACTCCCATTCCCAACT	GCGTACACCTCCCTTCCAAC
<i>AtNCED3</i>	CAGCTTGAGCTTTTGGGCTGTA	TAACAGAAACCAGCTGAGCTCGA
<i>AtABI1</i>	AGAGTGTGCCTTTGTATGGTTTTA	CATCCTCTCTACAATAGTTGCGCT
<i>AtABI5</i>	CAATAAGAGAGGGATAGCGAACGAG	CGTCCATTGCTGTCTCCTCCA